

# IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



## CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at [pld.iapmo.org](http://pld.iapmo.org)

Effective Date: July 2017

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa  
Via S. Ferrario, 8,  
Z.i. Sud-ovest  
Busto Arsizio,, VA 21052  
Italy

Identification: Pipe shall be marked at intervals of not more than 5 ft. with the manufacturer's name or trademark, nominal size, for metric series pipe - the term "metric" and the dimension ratio or both the outside diameter and wall thickness, IPS series pipe shall include "Schedule 80" or "SCH 80", type of material (PP-R) and classification number (80 or 100), pressure rating and temperature for which pressure rating is valid, the designation "F2389", manufacturer's production code, and pipe intended for the transport of potable water shall bear the mark of the lab making such evaluation. Fittings shall be marked with the manufacturer's name or trademark, nominal size, dimension ratio or schedule for corresponding pipe and type of material (PP-R). The fitting or packaging shall be marked with "Metric" or "NPT" for threaded fittings, and the designation "F2389". All products shall bear the UPC® certification mark.

Characteristics: Pressure rated polypropylene pipe and fittings manufactured in accordance with ASTM F2389. To be installed per the manufacturer's

  
Chairman, Product Certification Committee

  
CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 2

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

instructions and the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

Products are in compliance with the following standard(s):

ASTM F2389-2017a



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 3

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

### MODELS:

#### PIPES:

Niron Grey

20 mm - 25 mm SDR 7.3

32 mm SDR 9

40 mm - 160 mm SDR 11

63 mm - 160 mm SDR 17

Niron Blue

20 mm - 25 mm SDR 7.3

32 mm SDR 9

40 mm - 160 mm SDR 11

63 mm - 160 mm SDR 17

Niron Clima

20 mm - 25 mm SDR 7.3

32 mm SDR 9

25 mm - 400 mm SDR 11

63 mm - 630 mm SDR 17

Niron FG Red

20 mm - 160 mm SDR 7.3

40 mm - 160 mm SDR 11

32 mm - 160 mm SDR 9

#### FITTINGS:

45 Elbow - Long Spigot SDR 7.3

27NC457363MM 2"

27NC457375MM 2 1/2"

27NC457390MM 3"

27NC4573110MM 4"

27NC4573125MM 5"

27NC4573160MM 6"

45 Elbow - Long Spigot SDR 11

27NC4511315MMA 12"

45 Elbow - Long Spigot SDR 17

27NC4517315MMA 12"

45 Elbow - Long Spigot (Injected Alongated) SDR 11

27NC4511355MMC 14"

27NC4511400MMC 16"

27NC4511450MMC 18"

45 Elbow - Long Spigot (Injected Alongated) SDR 17



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 4

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

27NC4517355MMC 14"  
27NC4517400MMC 16"  
27NC4517450MMC 18"

45 Elbow - Long Spigot (Segmented Fitting) SDR 7.3  
27NC4573200MMB 8"  
27NC4573250MMB 10"  
27NC4573315MMB 12"  
27NC4573355MMB 14"

45 Elbow - Long Spigot (Segmented Fitting) SDR 11  
27NC4511315MMB 12"  
27NC4511355MMB 14"  
27NC4511400MMB 16"  
27NC4511450MMB 18"  
27NC4511500MMB 20"

45 Elbow - Long Spigot (Segmented Fitting) SDR 17  
27NC4517315MMB 12"  
27NC4517355MMB 14"  
27NC4517400MMB 16"  
27NC4517450MMB 18"  
27NC4517500MMB 20"  
27NC4517560MMB 22"  
27NC4517630MMB 24"

90 Elbow - Long Spigot SDR 7.3  
27NG907363MM 2"  
27NG907375MM 2 1/2"  
27NG907390MM 3"  
27NG9073110MM 4"  
27NG9073125MM 5"  
27NG9073160MM 6"

90 Elbow - Long Spigot SDR 11  
27NG9011315MMA 12"

90 Elbow - Long Spigot SDR 17  
27NG9017315MMA 12"

90 Elbow - Long Spigot (Injected Alongated) SDR 11  
27NG9011355MMC 14"  
27NG9011400MMC 16"  
27NG9011450MMC 18"

90 Elbow - Long Spigot (Injected Alongated) SDR 17  
27NG9017355MMC 14"  
27NG9017400MMC 16"



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 5

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

27NG9017450MMC 18"

90 Elbow - Long Spigot (Segmented Fitting) SDR 7.3

27NG9073200MMB 8"

27NG9073200MMB 10"

27NG9073315MMB 12"

27NG9073355MMB 14"

90 Elbow - Long Spigot (Segmented Fitting) SDR 11

27NG9011315MMB 12"

27NG9011355MMB 14"

27NG9011400MMB 16"

27NG9011450MMB 18"

27NG9011500MMB 20"

90 Elbow - Long Spigot (Segmented Fitting) SDR 17

27NG9017315MMA 12"

27NG9017315MMB 12"

27NG9017355MMB 14"

27NG9017400MMB 16"

27NG9017450MMB 18"

27NG9017500MMB 20"

27NG9017560MMB 22"

27NG9017630MMB 24"

Butt Weld 45 Elbow - Long Spigot SDR 11

27NC451163MM 2"

27NC451190MM 3"

27NC4511110MM 3 1/2"

27NC4511125MM 4"

27NC4511160MM 6"

27NC4511200MM 8"

27NC4511250MM 10"

27NC4511315MM 12"

Butt Weld 45 Elbow - Long Spigot SDR 17

27NC451763MM 2"

27NC451790MM 3"

27NC4517110MM 3 1/2"

27NC4517125MM 4"

27NC4517160MM 6"

27NC4517200MM 8"

27NC4517250MM 10"

27NC4517315MM 12"

Butt Weld 90 Elbow - Long Spigot SDR 11

27NG901163MM 2"

27NG901190MM 3"



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 6

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

27NG9011110MM 3 1/2"  
27NG9011125MM 4"  
27NG9011160MM 6"  
27NG9011200MM 8"  
27NG9011250MM 10"  
27NG9011315MM 12"

Butt Weld 90 Elbow - Long Spigot SDR 17

27NG901763MM 2"  
27NG901790MM 3"  
27NG9017110MM 3 1/2"  
27NG9017125MM 4"  
27NG9017160MM 6"  
27NG9017200MM 8"  
27NG9017250MM 10"  
27NG9017315MM 12"

Butt Weld Tee - Long Spigot SDR 11

27NT1163MM 2"  
27NT1190MM 3"  
27NT11110MM 3 1/2"  
27NT11125MM 4"  
27NT11160MM 6"  
27NT11200MM 8"  
27NT11250MM 10"

Butt Weld Tee - Long Spigot SDR 17

27NT1763MM 2"  
27NT1790MM 3"  
27NT17110MM 3 1/2"  
27NT17125MM 4"  
27NT17160MM 6"  
27NT17200MM 8"  
27NT17250MM 10"

Electrofusion 45 Elbow

27NCEM50 1 1/2"  
27NCEM63 2"  
27NCEM75 2 1/2"  
27NCEM90 3"  
27NCEM110 3 1/2"

Electrofusion 90 Elbow

27NGEM50 1 1/2"  
27NGEM63 2"  
27NGEM75 2 1/2"  
27NGEM90 3"  
27NGEM110 3 1/2"



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 7

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

### Electrofusion Coupling

27NME50 1 1/2"  
27NME63 2"  
27NME75 2 1/2"  
27NME90 3"  
27NME110 3 1/2"  
27NME125 4"  
27NME160 6"  
27NME200 8"  
27NME250 10"  
27NME315 12"

### Electrofusion Reducer

27NRDE5032 1 1/2" x 1"  
27NRDE5040 1 1/2" x 1 1/4"  
27NRDE6332 2" x 1"  
27NRDE6340 2" x 1 1/4"  
27NRDE6350 2" x 1 1/2"  
27NRDE7563 2 1/2" x 2"  
27NRDE9063 3" x 2"  
27NRDE1163 3 1/2" x 2"  
27NRDE1190 3 1/2" x 3"

### Electrofusion Tee

27NTCE50 1 1/2"  
27NTCE63 2"  
27NTCE75 2 1/2"  
27NTE90 3"  
27NTCE110 3 1/2"  
27NTCE160 6"

### End Cap - Long Spigot SDR 11

27NCC16011M 6"  
27NCC20011M 8"

### End Cap - Long Spigot SDR 17

27NCC16017M 6"  
27NCC20017M 8"

### End Cap - Short Spigot SDR 11

27NCC25011MS 10"  
27NCC31511MS 12"  
27NCC35511MS 14"  
27NCC40011MS 16"  
27NCC45011MS 18"

### End Cap - Short Spigot SDR 17



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 8

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

27NCC25011MS 10"  
27NCC31511MS 12"  
27NCC35511MS 14"  
27NCC40011MS 16"  
27NCC45011MS 18"

#### Female Side Fusion Welding Saddle

1-1/2" x 1/2" NPT (27NGSF5012NPT)  
1-1/2" x 3/4" NPT (27NGSF5034NPT)  
2" x 1/2" NPT (27NGSF6312NPT)  
2" x 3/4" NPT (27NGSF6334NPT)  
2-1/4" x 1" NPT (27NGSF631NPT)  
2-1/2" x 1/2" NPT (27NGSF7512NPT)  
2-1/2" x 1" NPT (27NGSF751NPT)  
2-1/2" x 3/4" NPT (27NGSF7534NPT)  
3" x 1/2" NPT (27NGSF9012NPT)  
3" x 1" NPT (27NGSF901NPT)  
3" x 3/4" NPT (27NGSF9034NPT)  
3-1/2" x 1/2" NPT (27NGSF11012NPT)  
3-1/2" x 1/2" NPT (27NGSF11012NPT)  
3-1/2" x 3/4" NPT (27NGSF11034NPT)  
3-1/2" x 1" NPT (27NGSF1101NPT)

#### Female Threaded Adapter w/NPT Lead Free Brass

1-1/2" x 1-1/4" NPT (27NRFF50114NPT)  
1-1/2" x 1-1/2" NPT (27NRFF50112NPT)  
2" x 1-1/2" NPT (27NRFF63112NPT)  
2" x 2" NPT (27NRFF632NPT)  
2-1/2" x 2" NPT (27NRFF752NPT)  
2-1/2" x 2-1/2" NPT (27NRFF75212NPT)  
3" x 3" NPT (27NRFF903NPT)  
3-1/2" x 4" NPT (27NRFF1104NPT)  
4" x 4" NPT (27NRFF1254NPT)

#### Fusion Female Side Fusion Reduced Tee-Long Spigot

27NTR119040F90 3" x 1 1/4" x 3"  
27NTR119050F90 3" x 1 1/2" x 3"  
27NTR119063F90 3" x 2" x 3"  
27NTR1111040F110 3 1/2" x 1 1/4" x 3 1/2"  
27NTR1111050F110 3 1/2" x 1 1/2" x 3 1/2"  
27NTR1111063F110 3 1/2" x 2" x 3 1/2"  
27NTR1112540F125 4" x 1 1/4" x 4"  
27NTR1112550F125 4" x 1 1/2" x 4"  
27NTR1112563F125 4" x 2" x 4"  
27NTR1112575F125 4" x 2 1/2" x 4"  
27NTR1112590F125 4" x 3" x 4"  
27NTR1116040F160 6" x 1 1/4" x 6"  
27NTR1116050F160 6" x 1 1/2" x 6"





# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 9

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

27NTR1116063F160 6" x 2" x 6"  
27NTR1116075F160 6" x 2 1/2" x 6"  
27NTR1116090F160 6" x 3" x 6"  
27NTR1120040F200 8" x 1 1/4" x 8"  
27NTR1120050F200 8" x 1 1/2" x 8"  
27NTR1120063F200 8" x 2" x 8"  
27NTR1120075F200 8" x 2 1/2" x 8"  
27NTR1120090F200 8" x 3" x 8"  
27NTR1125040F250 10" x 1 1/4" x 10"  
27NTR1125050F250 10" x 1 1/2" x 10"  
27NTR1125063F250 10" x 2" x 10"  
27NTR1125075F250 10" x 2 1/2" x 10"  
27NTR1125090F250 10" x 3" x 10"  
27NTR1131540F315 12" x 1 1/4" x 12"  
27NTR1131550F315 12" x 1 1/2" x 12"  
27NTR1131563F315 12" x 2" x 12"  
27NTR1131575F315 12" x 2 1/2" x 12"  
27NTR1131590F315 12" x 3" x 12"  
27NTR1135540F355 14" x 1 1/4" x 14"  
27NTR1135550F355 14" x 1 1/2" x 14"  
27NTR1135563F355 14" x 2" x 14"  
27NTR1135575F355 14" x 2 1/2" x 14"  
27NTR1135590F355 14" x 3 1/2" x 14"

### Fusion Male Side Fusion Reduced Tee - Long Spigot

27NTR11160110M160 6" x 3 1/2" x 6"  
27NTR11160125M160 6" x 4" x 5"  
27NTR11200110M200 8" x 3 1/2" x 8"  
27NTR11200125M200 8" x 4" x 8"  
27NTR11200160M200 8" x 6" x 8"  
27NTR11250110M250 10" x 3 1/2" x 10"  
27NTR11250125M250 10" x 4" x 10"  
27NTR11250160M250 10" x 6" x 10"  
27NTR11315110M315 12" x 3 1/2" x 12"  
27NTR11315125M315 12" x 4" x 12"  
27NTR11315160M315 12" x 6" x 12"  
27NTR11355110M355 14" x 3 1/2" x 14"  
27NTR11355125M355 14" x 4" x 14"  
27NTR11355160M355 14" x 6" x 14"

### Male Concentric Reducer - Long Spigot

27NR754011MM 2 1/2" x 1 1/4"  
27NR755011MM 2 1/2" x 1 1/2"  
27NR756311MM 2 1/2" x 2"  
27NR905011MM 3" x 1 1/2"  
27NR906311MM 3" x 2"  
27NR907511MM 3" x 2 1/2"  
27NR1106311MM 3 1/2" x 2"



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 10

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

27NR1107511MM 3 1/2" x 2 1/2"  
27NR1109011MM 3 1/2" x 3"  
27NR12511011MM 4" x 3 1/2"  
27NR1257511MM 4" x 2 1/2"  
27NR1259011MM 4" x 3"  
27NR16011011MM 6" x 3 1/2"  
27NR16012511MM 6" x 4"  
27NR20016011MM 8" x 6"

### Male Threaded Adapter w/NPT Lead Free Brass

1-1/2" x 1-1/4" NPT (27NRFM50114NPT)  
1-1/2" x 1-1/2" NPT (27NRFM50112NPT)  
2" x 1-1/2" NPT (27NRFM63112NPT)  
2" x 2" NPT (27NRFM632NPT)  
2-1/2" x 2" NPT (27NRFM752NPT)  
2-1/2" x 2-1/2" NPT (27NRFM75212NPT)  
3" x 3" NPT (27NRFM903NPT)  
3-1/2" x 4" NPT (27NRFM1104NPT)  
4" x 4" NPT (27NRFM1254NPT)

### Segmented 45° Elbow - Long Spigot SDR 11

27NC4511355MM 14"  
27NC4511400MM 16"  
27NC4511450MM 18"  
27NC4511500MM 20"

### Segmented 45° Elbow - Long Spigot SDR 17

27NC4517355MM 14"  
27NC4517400MM 16"  
27NC4517450MM 18"  
27NC4517500MM 20"  
27NC4517560MM 22"  
27NC4517630MM 24"

### Segmented 90° Elbow - Long Spigot SDR 11

27NG9011355MM 14"  
27NG9011400MM 16"  
27NG9011450MM 18"  
27NG9011500MM 20"

### Segmented 90° Elbow - Long Spigot SDR 17

27NG9017355MM 14"  
27NG9017400MM 16"  
27NG9017450MM 18"  
27NG9017500MM 20"  
27NG9017560MM 22"  
27NG9017630MM 24"



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 11

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

### Segmented Tee - Long Spigot SDR 11

27NT11315MM 12"  
27NT11355MM 14"  
27NT11400MM 16"  
27NT11450MM 18"  
27NT11500MM 20"

### Segmented Tee - Long Spigot SDR 17

27NT17315MM 12"  
27NT17355MM 14"  
27NT17400MM 16"  
27NT17450MM 18"  
27NT17500MM 20"  
27NT17560MM 22"  
27NT17630MM 24"

### Socket Female Threaded 90° Elbow

1-1/2" x 1-1/4" NPT (27NGF50114NPT)  
1-1/2" x 1-1/2" NPT (27NGF50112NPT)  
2" x 1" NPT (27NGF63112NPT)  
2" x 2" NPT (27NGF632NPT)

### Socket Fusion 45° Elbow

27NC4550 1 1/2"  
27NC4563 2"  
27NC4575 2 1/2"  
27NC4590 3"  
27NC45110 3 1/2"  
27NC45125 4"

### Socket Fusion 90° Elbow

27NG50 1 1/2"  
27NG63 2"  
27NG75 2 1/2"  
27NG90 3"  
27NG110 3 1/2"  
27NG125 4"

### Socket Fusion Coupling

27NMAN50 1 1/2"  
27NMAN63 2"  
27NMAN75 2 1/2"  
27NMAN90 3"  
27NMAN110 3 1/2"  
27NMAN125 4"

### Socket Fusion End Cap

27NCC50 1 1/2"



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 12

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

27NCC63 2"  
27NCC75 2 1/2"  
27NCC90 3"  
27NCC110 3 1/2"  
27NCC125 4"

### Socket Fusion Reduced Bushing

27NR5020 1 1/2" x 1/2"  
27NR5025 1 1/2" x 3/4"  
27NR5032 1 1/2" x 1"  
27NR5040 1 1/2" x 1"  
27NR6325 2" x 3/4"  
27NR6332 2" x 1"  
27NR6340 2" x 1 1/4"  
27NR6350 2" x 1 1/2"  
27NR7520 2 1/2" x 1/2"  
27NR7525 2 1/2" x 3/4"  
27NR7532 2 1/2" x 1"  
27NR7540 2 1/2" x 1 1/4"  
27NR7550 2 1/2" x 1 1/2"  
27NR7563 2 1/2" x 2"  
27NR9063 3" x 2"  
27NR9075 3" x 2 1/2"  
27NR11063 3 1/2" x 2"  
27NR11075 3 1/2" x 2 1/2"  
27NR11090 3 1/2" x 3"  
27NR12590 4" x 3"  
27NR125110 4" x 3 1/2"  
27NR160110 6" x 3 1/2"  
27NR160125 6" x 4"

### Socket Fusion Reduced Tee

27NTR502050 1 1/2" x 1/2" x 1 1/2"  
27NTR502550 1 1/2" x 3/4" x 1 1/2"  
27NTR503250 1 1/2" x 1" x 1 1/2"  
27NTR504050 1 1/2" x 1 1/4" x 1 1/2"  
27NTR632563 2" x 3/4" x 2"  
27NTR633263 2" x 1" x 2"  
27NTR634063 2" x 1 1/4" x 2"  
27NTR635063 2" x 1 1/2" x 2"  
27NTR753275 2 1/2" x 1" x 2 1/2"  
27NTR754075 2 1/2" x 1 1/4" x 2 1/2"  
27NTR755075 2 1/2" x 1 1/2" x 2 1/2"  
27NTR756375 2 1/2" x 2" x 2 1/2"  
27NTR906390 3" x 2" x 3"  
27NTR907590 3" x 2 1/2" x 3"  
27NTR11063110 3 1/2" x 2" x 3 1/2"  
27NTR11075110 3 1/2" x 2 1/2" x 3 1/2"



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 13

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

27NTR11090110 3 1/2" x 3" x 3 1/2"  
27NTR12575125 4" x 2 1/2" x 4"  
27NTR12590125 4" x 3" x 4"  
27NTR125110125 4" x 3 1/2" x 4"

Socket Fusion Side Elbow Three Outlets  
27NCTV20 1/2"

Socket Fusion Tee  
27NT50 1 1/2"  
27NT63 2"  
27NT75 2 1/2"  
27NT90 3"  
27NT110 3 1/2"  
27NT125 4"

Stub Flange - Long Spigot  
27NCRT5011 1 1/2"  
27NCRT6311 2"  
27NCRT7511 2 1/2"  
27NCRT9011 3"  
27NCRT11011 3 1/2"  
27NCRT12511 4"  
27NCRT16011 6"  
27NCRT20011 8"  
27NCRT25011 10"

Stub Flange - Short Spigot  
27NCRT31511S 12"  
27NCRT35511S 14"  
27NCRT40011S 16"  
27NCRT45011S 18"  
27NCRT50011S 20"

Tee - Long Spigot SDR 7.3  
27NT7363MM 2"  
27NT7375MM 2 1/2"  
27NT7390MM 3"  
27NT73110MM 4"  
27NT73125MM 5"  
27NT73160MM 6"

Tee - Long Spigot SDR 11  
27NT11315MMA 12"

Tee - Long Spigot SDR 17  
27NT17315MMA 12"



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 14

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

Tee - Long Spigot (Injected Alongated) SDR 11  
27NT11355MMC 14"  
27NT11400MMC 16"  
27NT11450MMC 18"

Tee - Long Spigot (Injected Alongated) SDR 17  
27NT17355MMC 14"  
27NT17400MMC 16"  
27NT17450MMC 18"

Tee - Long Spigot (Segmented Fitting) SDR 11  
27NT11315MMB 12"  
27NT11355MMB 14"  
27NT11400MMB 16"  
27NT11450MMB 18"  
27NT11500MMB 20"

Tee - Long Spigot (Segmented Fitting) SDR 17  
27NT17315MMB 12"  
27NT17355MMB 14"  
27NT17400MMB 16"  
27NT17450MMB 18"  
27NT17500MMB 20"  
27NT17560MMB 22"  
27NT17630MMB 24"

Tee - Plain Long Spigot (Segmented Fitting) SDR 7.3  
27NT73200MMB 8"  
27NT73250MMB 10"  
27NT73315MMB 12"  
27NT73355MMB 14"

Template for External Bath Taps  
27NGVF2012NPT 1/2" x 1/2"  
27NGVF2512NPT 3/4" x 1/2"

Welding Saddles Socket Fusion Outlet  
1-1/2" x 1/2" (27NGS5020)  
1-1/2" x 3/4" (27NGS5025)  
2" x 1/2" (27NGS6320)  
2" x 3/4" (27NGS6325)  
2" x 1" (27NGS6332)  
2-1/2" x 1/2" (27NGS7520)  
2-1/2" x 3/4" (27NGS7525)  
2-1/2" x 1" (27NGS7532)  
3" x 1/2" (27NGS9020)  
3" x 3/4" (27NGS9025)  
3" x 1" (27NGS9032)



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 15

Void After: July 2018

Product: Pressure Rated Polypropylene Piping Systems

File No. 9840

Issued To: Nupi Industrie Italiane Spa

3-1/2" x 1/2" (27NGS11020)  
3-1/2" x 3/4" (27NGS11025)  
3-1/2" x 1" (27NGS11032)  
4" x 2" (27NGS12563)  
6" x 1-1/4" (27NGS16040)  
6" x 2" (27NGS16063)