



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI/CAN Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on December 23, 2020.

**Nupi Industrie Italiane SpA**  
**Via Stefano Ferrario Z.I. Sud-Ovest**  
**21052 Busto Arisizio (VA)**  
**Italy**  
**39 03 313 44211**

**Facility: Busto Arsizio (VA), Italy**

**Mechanical Devices**

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Fittings</b>			
Elofit <sup>[1]</sup> [2]	1/4" x 1/2" - 40 x 60	CLD 23	PE
Niron <sup>[3]</sup> [4]	1/2" - 12" [G]	C. HOT	PP
<b>Miscellaneous Process Devices/Components</b>			
NCOLVPR Branch Fitting with Valve PEX Adapter (Cold Expansion) SDR 11	1-1/4" - 12"	C. HOT	MLTPL
NCOLVPCR Branch Fitting with Valve PEX Adapter (Crimp Ring) SDR 11	1-1/4" - 12"	C. HOT	MLTPL
<b>Valves</b>			
Niron Ball Valves <sup>[5]</sup>	20 - 75 mm	C. HOT	MLTPL

[1] Configurations include:

- 12EICOL0201 E/F BRANCH SADDLE D. 2" IPS x 1" IPS
- 12EICOL0201C E/F BRANCH SADDLE D. 2" CTS x 1" CTS
- 12EICOL0202 E/F BRANCH SADDLE D. 2" IPS x 2" IPS
- 12EICOL02112 E/F BRANCH SADDLE D. 2" IPS x 1/2" IPS
- 12EICOL0212C E/F BRANCH SADDLE D. 2" CTS x 1/2" CTS
- 12EICOL0234 E/F BRANCH SADDLE D. 2" IPS x 3/4" IPS
- 12EICOL0301 E/F Branching saddle 3" IPS x 1" IPS
- 12EICOL0302 E/F BRANCH SADDLE D.3" x 2"
- 12EICOL03114 E/F BRANCH SADDLE D.3" x 1 1/4"
- 12EICOL0334 E/F BRANCH SADDLE D. 3" IPS x 3/4" IPS
- 12EICOL0401 E/F Branching saddle 4" IPS x 1" IPS
- 12EICOL0402 E/F BRANCH SADDLE D.4" x 2"
- 12EICOL0403 E/F BRANCH SADDLE D.4" x 3"
- 12EICOL0404 E/F BRANCH SADDLE D.4" x 4"
- 12EICOL04114 E/F BRANCH SADDLE D.4" x 1 1/4"
- 12EICOL0434 E/F BRANCH SADDLE D. 4" IPS x 3/4" IPS
- 12EICOL0601 E/F Branching saddle 6" IPS x 1" IPS
- 12EICOL0602 E/F BRANCH SADDLE D.6" x 2"
- 12EICOL0603 E/F BRANCH SADDLE D.6" x 3"
- 12EICOL0604 E/F BRANCH SADDLE 6" x 4"
- 12EICOLTTL1606 E/F BRANCH SADDLE TL WITH STRAPS 16" x 6" IPS
- 12EICOLTTL1608 E/F BRANCH SADDLE TL WITH STRAPS 16" x 8" IPS
- 12EICOLTTL2406 E/F BRANCH SADDLE TL WITH STRAPS 24" x 6" IPS
- 12EICOLTTL2408 E/F BRANCH SADDLE TL WITH STRAPS 24" x 8" IPS
- 12EICOLTTL2606 E/F BRANCH SADDLE TL WITH STRAPS 26" x 6" IPS
- 12EICOLTTL2806 E/F BRANCH SADDLE TL WITH STRAPS 28" x 6" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EICOLTTL2808 E/F BRANCH SADDLE TL WITH STRAPS 28" x 8" IPS  
12EICOLTTL3006 E/F BRANCH SADDLE TL WITH STRAPS 30" x 6" IPS  
12EICOLTTL4006 E/F BRANCH SADDLE TL WITH STRAPS 40" x 6" IPS  
12EICOLTTLFL1804 BRANCHING SADDLE 18" IPS x 4" STUB-END K  
12EICOLTLS0606 E/F BRANCH SADDLE TL SHORT 6" x 6" IPS  
12EICOLTLS0806 E/F BRANCH SADDLE TL SHORT 8" x 6" IPS  
12EICOLTLS1006 E/F BRANCH SADDLE TL SHORT 10" x 6" IPS  
12EICOLTLS1206 E/F BRANCH SADDLE TL SHORT 12" x 6" IPS  
12EIRIP02 PE100 SDR11 REPAIR SADDLE 2" IPS  
12EIRIP03 PE100 SDR11 REPAIR SADDLE 3" IPS  
12EIRIP04 PE100 SDR11 REPAIR SADDLE 4" IPS  
12EIRIP06 PE100 SDR11 REPAIR SADDLE 6" IPS  
12EIRIP08 PE100 SDR11 REPAIR SADDLE 8" IPS  
12EIRIP10 PE100 SDR11 REPAIR SADDLE 10" IPS  
12EIRIP14 PE100 SDR11 REPAIR SADDLE 14" IPS  
12EIRIP16 PE100 SDR11 REPAIR SADDLE 16" IPS  
12EIRIP18 PE100 SDR11 REPAIR SADDLE 18" IPS  
12EIRIP20 PE100 SDR11 REPAIR SADDLE 20" IPS  
12EIRIP22 PE100 SDR11 REPAIR SADDLE 22" IPS  
12EIRIP24 PE100 SDR11 REPAIR SADDLE 24" IPS  
12EIRIP28 PE100 SDR11 REPAIR SADDLE 28" IPS  
12EIRIP30 PE100 SDR11 REPAIR SADDLE 30" IPS  
12EIRIP32 PE100 SDR11 REPAIR SADDLE 32" IPS  
12EIRIP36 PE100 SDR11 REPAIR SADDLE 36" IPS  
12EIRIP40 PE100 SDR11 REPAIR SADDLE 40" IPS  
12EICOL0201 E/F BRANCH SADDLE D. 2" IPS x 1" IPS  
12EICOL0201C E/F BRANCH SADDLE D. 2" CTS x 1" CTS  
12EICOL0202 E/F BRANCH SADDLE D. 2" IPS x 2" IPS  
12EICOL02112 E/F BRANCH SADDLE D. 2" IPS x 1/2" IPS  
12EICOL0212C E/F BRANCH SADDLE D. 2" CTS x 1/2" CTS  
12EICOL0234 E/F BRANCH SADDLE D. 2" IPS x 3/4" IPS  
12EICOL0301 E/F Branching saddle 3" IPS x 1" IPS  
12EICOL0302 E/F BRANCH SADDLE D.3" x 2"  
12EICOL03114 E/F BRANCH SADDLE D.3" x 1 1/4"  
12EICOL0334 E/F BRANCH SADDLE D. 3" IPS x 3/4" IPS  
12EICOL0401 E/F Branching saddle 4" IPS x 1" IPS  
12EICOL0402 E/F BRANCH SADDLE D.4" x 2"  
12EICOL0403 E/F BRANCH SADDLE D.4" x 3"  
12EICOL0404 E/F BRANCH SADDLE D.4" x 4"  
12EICOL04114 E/F BRANCH SADDLE D.4" x 1 1/4"  
12EICOL0434 E/F BRANCH SADDLE D. 4" IPS x 3/4" IPS  
12EICOL0601 E/F Branching saddle 6" IPS x 1" IPS  
12EICOL0602 E/F BRANCH SADDLE D.6" x 2"  
12EICOL0603 E/F BRANCH SADDLE D.6" x 3"  
12EICOL0604 E/F BRANCH SADDLE 6" x 4"  
12EICOL06114 E/F BRANCH SADDLE D.6" x 1 1/4"  
12EICOL0634 E/F BRANCH SADDLE D. 6" IPS x 3/4" IPS  
12EICOL0801 E/F Branching saddle 8" IPS x 1" IPS  
12EICOL0802 E/F BRANCH SADDLE D.8" x 2"  
12EICOL0803 E/F BRANCH SADDLE D.8" IPS x 3" IPS  
12EICOL0804 E/F BRANCH SADDLE 8" x 4"  
12EICOL08114 E/F BRANCH SADDLE D.8" x 1 1/4"  
12EICOL0834 E/F BRANCH SADDLE D. 8" IPS x 3/4" IPS  
12EICOL1001 E/F BRANCH SADDLE D.10" x 1"  
12EICOL1002 E/F BRANCH SADDLE D.10" x 2"  
[2] 12EICOL1003 E/F BRANCH SADDLE D.10" IPS x 3" IPS  
12EICOL1004 E/F BRANCH SADDLE 10" x 4"  
12EICOL10114 E/F BRANCH SADDLE D.10" x 1 1/4"  
12EICOL1034 E/F BRANCH SADDLE D.10" x 3/4"  
12EICOL11401 E/F BRANCH SADDLE D.1"1/4 IPS x 1" IPS  
12EICOL11401C E/F BRANCH SADDLE D.1"1/4 CTS x 1" CTS  
12EICOL11412C E/F BRANCH SADDLE D.1"1/4 CTS x 1/2" CTS  
12EICOL11434 E/F BRANCH SADDLE D.1"1/4 IPS x 3/4" IPS  
12EICOL1201 E/F BRANCH SADDLE D.12" x 1"  
12EICOL1202 E/F BRANCH SADDLE D.12" x 2"  
12EICOL1203 E/F BRANCH SADDLE D.12" IPS x 3" IPS  
12EICOL1204 E/F BRANCH SADDLE 12" x 4"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EICOL12114 E/F BRANCH SADDLE D.12" x 1 1/4"  
 12EICOL1234 E/F BRANCH SADDLE D.12" x 3/4"  
 12EICOLS0604 SEWAGE E/F BRANCH SADDLE 6" x 4"  
 12EICOLTL0606 E/F BRANCH SADDLE TL WITH STRAPS 6" x 6" IPS  
 12EICOLTL0806 E/F BRANCH SADDLE TL WITH STRAPS 8" x 6" IPS  
 12EICOLTL1006 E/F BRANCH SADDLE TL WITH STRAPS 10" x 6" IPS  
 12EICOLTL1206 E/F BRANCH SADDLE TL WITH STRAPS 12" x 6" IPS  
 12EICOLTL1208 E/F BRANCH SADDLE TL WITH STRAPS 12" x 8" IPS  
 12EICOLTL1406 E/F BRANCH SADDLE TL WITH STRAPS 14" x 6" IPS  
 12EICOLTL142402 E/F BRANCH SADDLE TOP LOAD D.14"/24" x 2"  
 12EICOLTL1606 E/F BRANCH SADDLE TL WITH STRAPS 16" x 6" IPS  
 12EICOLTL1806 E/F BRANCH SADDLE TL WITH STRAPS 18" x 6" IPS  
 12EICOLTL2006 E/F BRANCH SADDLE TL WITH STRAPS 20" x 6" IPS  
 12EICOLTL2206 E/F BRANCH SADDLE TL WITH STRAPS 22" x 6" IPS  
 12EICOLTL2406 E/F BRANCH SADDLE TL WITH STRAPS 24" x 6" IPS  
 12EICOLTL2408 E/F BRANCH SADDLE TL WITH STRAPS 24" x 8" IPS  
 12EICOLTL2806 E/F BRANCH SADDLE TL WITH STRAPS 28" x 6" IPS  
 12EICOLTL2808 E/F BRANCH SADDLE TL WITH STRAPS 28" x 8" IPS  
 12EICOLTL3006 E/F BRANCH SADDLE TL WITH STRAPS 30" x 6" IPS  
 12EICOLTL3008 E/F BRANCH SADDLE TL WITH STRAPS 30" x 8" IPS  
 12EICOLTL3206 E/F BRANCH SADDLE TL WITH STRAPS 32" x 6" IPS  
 12EICOLTL3606 E/F BRANCH SADDLE TL WITH STRAPS 36" x 6" IPS  
 12EICOLTL4006 E/F BRANCH SADDLE TL WITH STRAPS 40" x 6" IPS  
 12EICOLTLFL1804 BRANCHING SADDLE 18" IPS x 4" STUB-END K  
 12EICOLTLS0606 E/F BRANCH SADDLE TL SHORT 6" x 6" IPS  
 12EICOLTLS0806 E/F BRANCH SADDLE TL SHORT 8" x 6" IPS  
 12EICOLTLS1006 E/F BRANCH SADDLE TL SHORT 10" x 6" IPS  
 12EICOLTLS1206 E/F BRANCH SADDLE TL SHORT 12" x 6" IPS

[3] Configurations include:

Welding Saddles Socket Fusion Outlet

1 1/2" x 1/2" (27NGS5020)  
 1 1/2" x 3/4" (27NGS5025)  
 2" x 1/2" (27NGS6320)  
 2" x 3/4" (27NGS6325)  
 2" x 1" (27NGS6332)  
 2 1/2" x 1/2" (27NGS7520)  
 2 1/2" x 3/4" (27NGS7525)  
 2 1/2" x 1" (27NGS7532)  
 3" x 1/2" (27NGS9020)  
 3" x 3/4" (27NGS9025)  
 3" x 1" (27NGS9032)  
 3 1/2" x 1/2" (27NGS11020)  
 3 1/2" x 3/4" (27NGS11025)  
 3 1/2" x 1" (27NGS11032)  
 4" x 2" (27NGS12563)  
 6" x 1 1/4" (27NGS16040)  
 6" x 2" (27NGS16063)

Male Side Fusion Welding Saddle

2" x 8" (27NGS63M200)  
 2" x 10" (27NGS63M250)  
 2" x 12" (27NGS63M315)  
 3" x 6" (27NGS90M160)  
 3" x 8" (27NGS90M200)  
 3" x 10" (27NGS90M250)  
 3" x 12" (27NGS90M315)  
 4" x 6" (27NGS125M160)  
 4" x 8" (27NGS125M200)  
 4" x 10" (27NGS125M250)  
 4" x 12" (27NGS125M315)  
 6" x 8" (27NGS160M200)  
 6" x 10" (27NGS160M250)  
 6" x 12" (27NGS160M315)

Female Side Fusion Welding Saddle w/NPT Lead Free Brass

1 1/4" x 1/2" NPT (27NGSF4012NPT)  
 1 1/2" x 1/2" NPT (27NGSF5012NPT)  
 1 1/2" x 3/4" NPT (27NGSF5034NPT)  
 2" x 1/2" NPT (27NGSF6312NPT)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



2" x 3/4" NPT (27NGSF6334NPT)  
2 1/4" x 1" NPT (27NGSF631NPT)  
2 1/2" x 1/2" NPT (27NGSF7512NPT)  
2 1/2" x 1" NPT (27NGSF751NPT)  
2 1/2" x 3/4" NPT (27NGSF7534NPT)  
3" x 1/2" NPT (27NGSF9012NPT)  
3" x 1" NPT (27NGSF901NPT)  
3" x 3/4" NPT (27NGSF9034NPT)  
3 1/2" x 1/2" NPT (27NGSF11012NPT)  
3 1/2" x 3/4" NPT (27NGSF11034NPT)  
3 1/2" x 1" NPT (27NGSF1101NPT)  
Welding Saddles Socket Fusion Outlets  
6" x 4" (27NGS110M160)  
1/2" x 6" / 8" (27NGS20160200)  
1/2" x 10" / 12" (27NGS20250315)  
1/2" x 14" / 24" (27NGS20355630)  
1/2" x 1 1/4" (27NGS2040)  
1/2" x 1 1/4" / 1 1/2" (27NGS204050)  
1/2" x 1 1/2" (27NGS2050)  
1/2" x 2" / 2 1/2" (27NGS206375)  
1/2" x 3" / 4" / 5" (27NGS2090110125)  
3/4" x 6" / 8" (27NGS25160200)  
3/4" x 10" / 12" (27NGS25250315)  
3/4" x 14" / 24" (27NGS25355630)  
3/4" x 1 1/4" (27NGS2540)  
3/4" x 1 1/2" (27NGS2550)  
3/4" x 2" / 2 1/2" (27NGS256375)  
3/4" x 3" / 4" / 5" (27NGS2590110125)  
1" x 6" / 8" (27NGS32160200)  
1" x 10" / 12" (27NGS32250315)  
1" x 14" / 24" (27NGS32355630)  
1" x 2" / 2 1/2" (27NGS326375)  
1" x 3" / 4" / 5" (27NGS3290110125)  
1 1/4" x 4" (27NGS40110)  
1 1/4" x 5" (27NGS40125)  
1 1/4" x 6" / 8" (27NGS40160200)  
1 1/4" x 10" / 12" (27NGS40250315)  
1 1/4" x 14" / 24" W (27NGS40355630)  
1 1/4" x 3" (27NGS4090)  
1 1/2" x 4" (27NGS50110)  
1 1/2" x 5" (27NGS50125)  
1 1/2" x 6" (27NGS50160)  
1 1/2" x 8" (27NGS50200)  
1 1/2" x 10" (27NGS50250)  
1 1/2" x 12" (27NGS50315)  
1 1/2" x 14" / 18" (27NGS50355450)  
1 1/2" x 20" / 24" (27NGS50500630)  
1 1/2" x 3" (27NGS5090)  
2" x 4" (27NGS63110)  
2" x 5" (27NGS63125)  
2" x 6" (27NGS63160)  
2" x 8" (27NGS63200)  
2" x 10" (27NGS63250)  
2" x 12" (27NGS63315)  
2" x 14" / 18" (27NGS63355450)  
2" x 20" / 24" (27NGS63500630)  
FemThrWeld Sad w/NPT & L.F.B. - Socket Fus  
1" x 6" - 8" (27NGSF01160200NPT)  
1" x 6" - 8" (27NGSF01160200NPTL)  
1" x 10" - 12" (27NGSF01250315NPT)  
1" x 10" - 12" (27NGSF01250315NPTL)  
1" x 14" - 24" (27NGSF01355630NPT)  
1" x 2" - 2 1/2" (27NGSF016375NPT)  
1" x 2" - 2 1/2" (27NGSF016375NPTL)  
1" x 3" - 4" - 5" (27NGSF0190110125NPT)  
1" x 3" - 4" - 5" (27NGSF0190110125NPTL)  
1/2" x 6" - 8" (27NGSF12160200NPT)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1/2" x 6" - 8" (27NGSF12160200NPTL)  
1/2" x 10" - 12" (27NGSF12250315NPT)  
1/2" x 10" - 12" (27NGSF12250315NPTL)  
1/2" x 14" - 24" (27NGSF12355630NPT)  
1/2" x 1 1/4" - 1 1/2" (27NGSF124050NPT)  
1/2" x 1 1/4" - 1 1/2" (27NGSF124050NPTL)  
1/2" x 2" - 2 1/2" (27NGSF126375NPT)  
1/2" x 2" - 2 1/2" (27NGSF126375NPTL)  
1/2" x 3" - 4" - 5" (27NGSF1290110125NPT)  
1/2" x 3" - 4" - 5" (27NGSF1290110125NPTL)  
3/4" x 6" - 8" (27NGSF34160200NPT)  
3/4" x 6" - 8" (27NGSF34160200NPTL)  
3/4" x 10" - 12" (27NGSF34250315NPT)  
3/4" x 10" - 12" (27NGSF34250315NPTL)  
3/4" x 14" - 24" (27NGSF34355630NPT)  
3/4" x 1 1/4" - 1 3/4" (27NGSF344050NPT)  
3/4" x 1 1/4" - 1 3/4" (27NGSF344050NPTL)  
3/4" x 2" - 2 3/4" (27NGSF346375NPT)  
3/4" x 2" - 2 3/4" (27NGSF346375NPTL)  
3/4" x 3" - 4" - 5" (27NGSF3490110125NPT)  
3/4" x 3" - 4" - 5" (27NGSF3490110125NPTL)

[4] Electrofusion Saddle

4" x 4" (27NCOL110110)  
4" x 3/4" (27NCOL11025)  
4" x 1"E (27NCOL11032)  
4" x 2" (27NCOL11063)  
4" x 2 1/2" (27NCOL11075)  
4" x 3" (27NCOL11090)  
5" x 3/4" (27NCOL12525)  
5" x 1" (27NCOL12532)  
5" x 2" (27NCOL12563)  
5" x 2 1/2" (27NCOL12575)  
5" x 3" (27NCOL12590)  
6" x 3/4" (27NCOL16025)  
6" x 1" (27NCOL16032)  
6" x 2" (27NCOL16063)  
6" x 2 1/2" (27NCOL16075)  
6" x 3" (27NCOL16090)  
8" x 4" (27NCOL200110)  
8" x 5" (27NCOL200125)  
8" x 1" (27NCOL20032)  
8" x 2" (27NCOL20063)  
8" x 2 1 / 2" (27NCOL20075)  
8" x 3" (27NCOL20090)  
10" x 4" (27NCOL250110)  
10" x 5" (27NCOL250125)  
10" x 1" (27NCOL25032)  
10" x 2" (27NCOL25063)  
10" x 3" (27NCOL25090)  
12" x 4" (27NCOL315110)  
12" x 5" (27NCOL315125)  
12" x 1" (27NCOL31532)  
12" x 2" (27NCOL31563)  
12" x 3" (27NCOL31590)  
1 1/4" x 3/4" (27NCOL4025)  
1 1/4" x 1" (27NCOL4032)  
1 1/2" x 3/4" (27NCOL5025)  
1 1/2" x 1" (27NCOL5032)  
2" x 3/4" (27NCOL6325)  
2" x 1" (27NCOL6332)  
2" x 2" (27NCOL6363)  
2 1/2" x 3/4" (27NCOL7525)  
2 1/2" x 1" (27NCOL7532)  
2 1/2" x 1 1/4" (27NCOL7540)  
3" x 3/4" (27NCOL9025)  
3" x 1" (27NCOL9032)  
3" x 2" (27NCOL9063)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3" x 3" (27NCOL9090)

[5] Configurations include:

PPR True Union Ball Valve PP-RCT Socket Fusion Ends

20 mm (27NRSPPRCT20) (1/2")

25 mm (27NRSPPRCT25) (3/4")

32 mm (27NRSPPRCT32) (1")

40 mm (27NRSPPRCT40) (1-1/4")

50 mm (27NRSPPRCT50) (1-1/2")

63 mm (27NRSPPRCT63) (2")

PPR True Union Ball Valve PP-RCT Spigot Ends - SDR 11

25 mm (27NRSPPRCTS25) (3/4")

32 mm (27NRSPPRCTS32) (1")

40 mm (27NRSPPRCTS40) (1-1/4")

50 mm (27NRSPPRCTS50) (1-1/2")

63 mm (27NRSPPRCTS63) (2")

75 mm (27NRSPPRCTS75) (2-1/2")

[6] Certified for the following configurations:

40 mm (27NCOLVPR403212) 1-1/4"

50 mm (27NCOLVPR503212) 1-1/2"

63 mm (27NCOLVPR633212) 2"

75 mm (27NCOLVPR753212) 2-1/2"

90 mm (27NCOLVPR903212) 3"

110 mm (27NCOLVPR1103212) 4"

40 mm (27NCOLVPR403234) 1-1/4"

50 mm (27NCOLVPR503234) 1-1/2"

63 mm (27NCOLVPR633234) 2"

75 mm (27NCOLVPR753234) 2-1/2"

90 mm (27NCOLVPR903234) 3"

110 mm (27NCOLVPR1103234) 4"

40 mm (27NCOLVPR40321) 1-1/4"

50 mm (27NCOLVPR50321) 1-1/2"

63 mm (27NCOLVPR63321) 2"

75 mm (27NCOLVPR75321) 2-1/2"

90 mm (27NCOLVPR90321) 3"

110 mm (27NCOLVPR110321) 4"

125 mm (27NCOLVPR1253212) 5"

160 mm (27NCOLVPR1603212) 6"

200 mm (27NCOLVPR2003212) 8"

250 mm (27NCOLVPR2503212) 10"

315 mm (27NCOLVPR3153212) 12"

125 mm (27NCOLVPR1253234) 5"

160 mm (27NCOLVPR1603234) 6"

200 mm (27NCOLVPR2003234) 8"

250 mm (27NCOLVPR2503234) 10"

315 mm (27NCOLVPR3153234) 12"

125 mm (27NCOLVPR125321) 5"

160 mm (27NCOLVPR160321) 6"

200 mm (27NCOLVPR200321) 8"

250 mm (27NCOLVPR250321) 10"

315 mm (27NCOLVPR315321) 12"

[7] Certified for the following configurations:

40 mm (27NCOLVPRCR403212) 1-1/4"

50 mm (27NCOLVPRCR503212) 1-1/2"

63 mm (27NCOLVPRCR633212) 2"

75 mm (27NCOLVPRCR753212) 2-1/2"

90 mm (27NCOLVPRCR903212) 3"

110 mm (27NCOLVPRCR1103212) 4"

40 mm (27NCOLVPRCR403234) 1-1/4"

50 mm (27NCOLVPRCR503234) 1-1/2"

63 mm (27NCOLVPRCR633234) 2"

75 mm (27NCOLVPRCR753234) 2-1/2"

90 mm (27NCOLVPRCR903234) 3"

110 mm (27NCOLVPRCR1103234) 4"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



- 40 mm (27NCOLVPRCR40321) 1-1/4"
- 50 mm (27NCOLVPRCR50321) 1-1/2"
- 63 mm (27NCOLVPRCR63321) 2"
- 75 mm (27NCOLVPRCR75321) 2-1/2"
- 90 mm (27NCOLVPRCR90321) 3"
- 110 mm (27NCOLVPRCR110321) 4"
- 125 mm (27NCOLVPRCR1253212) 5"
- 160 mm (27NCOLVPRCR1603212) 6"
- 200 mm (27NCOLVPRCR2003212) 8"
- 250 mm (27NCOLVPRCR2503212) 10"
- 315 mm (27NCOLVPRCR3153212) 12"
- 125 mm (27NCOLVPRCR1253234) 5"
- 160 mm (27NCOLVPRCR1603234) 6"
- 200 mm (27NCOLVPRCR2003234) 8"
- 250 mm (27NCOLVPRCR2503234) 10"
- 315 mm (27NCOLVPRCR3153234) 12"
- 125 mm (27NCOLVPRCR125321) 5"
- 160 mm (27NCOLVPRCR160321) 6"
- 200 mm (27NCOLVPRCR200321) 8"
- 250 mm (27NCOLVPRCR250321) 10"
- 315 mm (27NCOLVPRCR315321) 12"

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Fittings</b> [G] ELOFIT <sup>[1]</sup> [2] [3] [4] [5] [6] [7] [8]	1/2" - 42"	CLD 23 PE	
<b>Fittings</b> [G] Niron <sup>[9]</sup> [10] [11] [12] [13] [14] [15] [16]	1/2" - 24"	C. HOT PP	
Niron <sup>[17]</sup> [18]	1/2" - 4"	C. HOT MLTPL	

[1] Configurations include:

- 12DICRT02 PE4710 SDR17 FLANGE ADAPTER 2" IPS
- 12DICRT03 PE4710 SDR17 FLANGE ADAPTER 3" IPS
- 12DICRT04 PE4710 SDR17 FLANGE ADAPTER 4" IPS
- 12DICRT06 PE4710 SDR17 FLANGE ADAPTER 6" IPS
- 12DICRT08 PE4710 SDR17 FLANGE ADAPTER 8" IPS
- 12DICRT10 PE4710 SDR17 FLANGE ADAPTER 10" IPS
- 12DICRT12 PE4710 SDR17 FLANGE ADAPTER 12" IPS
- 12DICRT14 PE4710 SDR17 FLANGE ADAPTER 14" IPS
- 12DICRT16 PE4710 SDR17 FLANGE ADAPTER 16" IPS
- 12DICRT18 PE4710 SDR17 FLANGE ADAPTER 18" IPS
- 12DICRT20 PE4710 SDR17 FLANGE ADAPTER 20" IPS
- 12DICRT22 PE4710 SDR17 FLANGE ADAPTER 22" IPS
- 12DICRT24 PE4710 SDR17 FLANGE ADAPTER 24" IPS
- 12EIC02 CURVA 45° 2" IPS CODOLO LUNGO
- 12EIC03 CURVA 45° 3" IPS CODOLO LUNGO
- 12EIC04 CURVA 45° 4" IPS CODOLO LUNGO
- 12EIC06 CURVA 45° 6" IPS CODOLO LUNGO
- 12EICAL03 CALOTTA DI CHIUSURA 3" IPS CODOLO LUNGO
- 12EICEM02 PE100 SDR11 E/F SINGLE WIRE 45° ELBOW D.2" IPS
- 12EICRT02 PE4710 SDR11 FLANGE ADAPTER 2" IPS
- 12EICRT03 PE4710 SDR11 FLANGE ADAPTER 3" IPS
- 12EICRT04 PE4710 SDR11 FLANGE ADAPTER 4" IPS
- 12EICRT06 PE4710 SDR11 FLANGE ADAPTER 6" IPS
- 12EICRT08 PE4710 SDR11 FLANGE ADAPTER 8" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EICRT10 PE4710 SDR11 FLANGE ADAPTER 10" IPS  
12EICRT12 PE4710 SDR11 FLANGE ADAPTER 12" IPS  
12EICRT14 PE4710 SDR11 FLANGE ADAPTER 14" IPS  
12EICRT16 PE4710 SDR11 FLANGE ADAPTER 16" IPS  
12EICRT18 PE4710 SDR11 FLANGE ADAPTER 18" IPS  
12EICRT20 PE4710 SDR11 FLANGE ADAPTER 20" IPS  
12EICRT22 PE4710 SDR11 FLANGE ADAPTER 22" IPS  
12EICRT24 PE4710 SDR11 FLANGE ADAPTER 24" IPS  
12EICRTB02 PE4710 SDR11 FLANGE ADAPTER 2" IPS BEVELED  
12EICRTB03 PE4710 SDR11 FLANGE ADAPTER 3" IPS BEVELED  
12EICRTB04 PE4710 SDR11 FLANGE ADAPTER 4" IPS BEVELED  
12EICRTB06 PE4710 SDR11 FLANGE ADAPTER 6" IPS BEVELED  
12EICRTB10 PE4710 SDR11 FLANGE ADAPTER 10" IPS  
12EICRTB12 PE4710 SDR11 FLANGE ADAPTER 12" IPS BEVELED  
12EICRTB20 PE4710 SDR11 FLANGE ADAPTER 20" IPS BEVELED  
12EIMJ02 MALE JOINT ADAPTER D.2" IPS  
12EIRIP12 PE100 SDR11 COLLARE DI RIPARAZIONE 12" IPS  
12EIRIP14 PE100 SDR11 COLLARE DI RIPARAZIONE 14" IPS  
12EIRIP16 PE100 SDR11 COLLARE DI RIPARAZIONE 16" IPS  
12EIRIP18 PE100 SDR11 COLLARE DI RIPARAZIONE 18" IPS  
12EIRIP20 PE100 SDR11 COLLARE DI RIPARAZIONE 20" IPS  
12EIRIP22 PE100 SDR11 COLLARE DI RIPARAZIONE 22" IPS  
12EIRIP24 PE100 SDR11 COLLARE DI RIPARAZIONE 24" IPS  
12EIRIP28 PE100 SDR11 COLLARE DI RIPARAZIONE 28" IPS  
12EIRIP30 PE100 SDR11 COLLARE DI RIPARAZIONE 30" IPS  
12EIRIP32 PE100 SDR11 COLLARE DI RIPARAZIONE 32" IPS  
12EIRIP36 PE100 SDR11 COLLARE DI RIPARAZIONE 36" IPS  
12EIRIP40 PE100 SDR11 COLLARE DI RIPARAZIONE 40" IPS  
12EIRS0201 SOCKET FUSION REDUCING DN 2" - 1" IPS  
12EIRS02034 SOCKET FUSION REDUCING DN 2" - 3/4" IPS  
12EIRS02112 SOCKET FUSION REDUCING DN 2" - 1"1/2 IPS  
12EIRS02114 SOCKET FUSION REDUCING DN 2" - 1"1/4 IPS  
12EIRS11201 SOCKET FUSION REDUCING DN 1"1/2 - 1" IPS  
12EIRS112034 SOCKET FUSION REDUCING DN 1"1/2 - 3/4" IPS  
12EIRS112114 SOCKET FUSION REDUCING DN 1"1/2 - 1"1/4 IPS  
12EIRS11401 SOCKET FUSION REDUCING DN 1"1/4 - 1" IPS  
12EIRS114034 SOCKET FUSION REDUCING DN 1"1/4 - 3/4" IPS  
12EIRSC02114 SOCKET FUSION FEM. RED. COUPLING D. 2"-1"1/4 IPS  
12EIRSC11401 SOCKET FUSION FEM. RED. COUPLING D. 1"1/4-1" IPS  
12EISC01 SOCKET FUSION COUPLING DN 1" IPS  
12EISC02 SOCKET FUSION COUPLING DN 2" IPS  
12EISC034 SOCKET FUSION COUPLING DN 3/4" IPS  
12EISC112 SOCKET FUSION COUPLING DN 1"1/2 IPS  
12EISC114 SOCKET FUSION COUPLING DN 1"1/4 IPS  
12EISC4502 SOCKET FUSION 45° ELBOW DN 2" IPS  
12EISC45114 SOCKET FUSION 45° ELBOW DN 1"1/4 IPS  
12EISCAP01 SOCKET FUSION END CAP D.1" IPS  
12EISCAP02 SOCKET FUSION END CAP D.2" IPS  
12EISCAP034 SOCKET FUSION END CAP D.3/4" IPS  
12EISCAP114 SOCKET FUSION END CAP D.1" 1/4 IPS  
12EISCG114 SOCKET FUSION GEOTHERMAL COUPLING DN 1"1/4 IPS  
[2] 12EISG01 SOCKET FUSION 90° ELBOW D. 1" IPS  
12EISG02 SOCKET FUSION 90° ELBOW DN 2" IPS  
12EISG034 SOCKET FUSION 90° ELBOW DN 3/4" IPS  
12EISG112 SOCKET FUSION 90° ELBOW DN 1"1/2 IPS  
12EISG114 SOCKET FUSION 90° ELBOW DN 1"1/4 IPS  
12EISGG114 SOCKET FUSION GEOTHERMAL 90° ELBOW DN 1"1/4 IPS  
12EIST01 SOCKET FUSION TEE D.1" IPS  
12EIST02 SOCKET FUSION TEE D.2" IPS  
12EIST034 SOCKET FUSION TEE D.3/4" IPS  
12EIST112 SOCKET FUSION TEE D.1"1/2 IPS  
12EIST114 SOCKET FUSION TEE D.1"1/4 IPS  
12EISTR0101034 SOCKET FUSION RED. TEE D.1"-1"-3/4" IPS  
12EISTR020201 SOCKET FUSION RED. TEE D.2"-2'-1" IPS  
12EISTR0202034 SOCKET FUSION RED. TEE D.2"-2"-3/4" IPS  
12EISTR0202114 SOCKET FUSION RED. TEE D.2"-2"-1"1/4 IPS  
12EISTR0211201 SOCKET FUSION RED. TEE D.2"-1"1/2-1" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.





12EISTR02112034 SOCKET FUSION RED. TEE D.2"-1"1/2-3/4" IPS  
12EISTR02112114 SOCKET FUSION RED. TEE D.2"-1"1/2-1"1/4 IPS  
12EISTR0211401 SOCKET FUSION RED. TEE D.2"-1"1/4-1" IPS  
12EISTR02114034 SOCKET FUSION RED. TEE D.2"-1"1/4-3/4" IPS  
12EISTR02114114 SOCKET FUSION RED. TEE D.2"-1"1/4-1"1/4 IPS  
12EISTR11211201 SOCKET FUSION RED. TEE DN 1"1/2 - 1"1/2 - 1" IPS  
12EISTR112112034 SOCKET FUSION RED. TEE DN 1"1/2 - 1"1/2 - 3/4" IPS  
12EISTR112112114 SOCKET FUSION RED. TEE D.1"1/2-1"1/2-1"1/4 IPS  
12EISTR11211401 SOCKET FUSION RED. TEE D.1"1/2-1"1/4-1" IPS  
12EISTR112114034 SOCKET FUSION RED. TEE D.1"1/2-1"1/4-3/4" IPS  
12EISTR112114114 SOCKET FUSION RED. TEE D.1"1/2-1"1/4-1"1/4 IPS  
12EISTR1140101 SOCKET FUSION RED. TEE DN 1"1/4 - 1" - 1" IPS  
12EISTR114034034 SOCKET FUSION RED. TEE DN 1"1/4 - 3/4" - 3/4" IPS  
12EISTR11411401 SOCKET FUSION RED. TEE DN 1"1/4 - 1"1/4 - 1" IPS  
12EISTR114114034 SOCKET FUSION RED. TEE DN 1"1/4 - 1"1/4 - 3/4" IPS  
12EIT02 PE100 SDR11 BUTT FUSION TEE 2" IPS  
12EIT03 PE100 SDR11 BUTT FUSION TEE 3" IPS  
12EIT04 PE100 SDR11 BUTT FUSION TEE 4" IPS  
12EIT06 PE100 SDR11 BUTT FUSION TEE 6" IPS  
12EITCE012C S. WIRE E/F TEE W/SPIGOT END D.1/2" CTS  
12EITCE01C S. WIRE E/F TEE W/SPIGOT END D.1" CTS  
12EITCE02 S. WIRE E/F TEE W/SPIGOT END D.2" IPS  
12EITCE114 S. WIRE E/F TEE W/SPIGOT END D.1" 1/4 IPS  
12EITRMC1612 PE4710 SDR11 REDUCING TEE 16" IPS x 12" IPS  
12EIVLRS04180 VARIABLE LENGHT REPAIR SLEEVE 4" IPS 180°  
12EIVLRS04180M MODULAR VARIABLE LENGTH REPAIR SLEEVE 4" IPS 180°  
12EIVLRS06180 VARIABLE LENGHT REPAIR SLEEVE 6" IPS 180°  
12EIVLRS06180M MODULAR VARIABLE LENGHT REPAIR SLEEVE 6" IPS 180°  
12EIWYE02 BUTT FUSION 45° WYE 2" IPS PE4710 SDR11  
12GICRT02 PE4710 SDR 7 FLANGE ADAPTER 2" IPS  
12GICRT03 PE4710 SDR 7 FLANGE ADAPTER 3" IPS  
12GICRT04 PE4710 SDR 7 FLANGE ADAPTER 4" IPS  
12GICRT06 PE4710 SDR 7 FLANGE ADAPTER 6" IPS  
12GICRT08 PE4710 SDR 7 FLANGE ADAPTER 8" IPS  
12GICRT10 PE4710 SDR 7 FLANGE ADAPTER 10" IPS  
12GICRT12 PE4710 SDR 7 FLANGE ADAPTER 12" IPS  
12GICRT14 PE4710 SDR 7 FLANGE ADAPTER 14" IPS  
12GICRT16 PE4710 SDR 7 FLANGE ADAPTER 16" IPS  
12GICRT18 PE4710 SDR 7 FLANGE ADAPTER 18" IPS  
12GICRT20 PE4710 SDR 7 FLANGE ADAPTER 20" IPS  
12GICRT24 PE4710 SDR 7 FLANGE ADAPTER 24" IPS  
12GIG04 PE100 SDR7 BUTT FUSION 90° ELBOW 4" IPS  
12GIME06 E/F COUPLER D.6" IPS 380PSI  
12GIME08 E/F COUPLER D.8 IPS 380PSI  
12GIME10 E/F COUPLER D.10" IPS 380PSI  
12GIME12 E/F Coupler 12" IPS 380PSI  
12GIR0302 BUT FUSION REDUCER D. 3" IPS x 2" IPS PE100 SDR7  
12GIR0402 BUT FUSION REDUCER D. 4" IPS x 2" IPS PE100 SDR7  
12GIR0403 BUT FUSION REDUCER D. 4" IPS x 3" IPS PE100 SDR7  
12GIR0604 BUT FUSION REDUCER D. 6" IPS x 4" IPS PE100 SDR7  
12GIR1006 BUT FUSION REDUCER D. 10" IPS x 6" IPS PE100 SDR7  
12GIR1008 BUT FUSION REDUCER D. 10" IPS x 8" IPS PE100 SDR7  
12GIR1208 BUT FUSION REDUCER D. 12" IPS x 8" IPS PE100 SDR7  
12GIT04 PE100 SDR7 BUTT FUSION TEE 4" IPS  
12HICRT02 PE4710 SDR 9 FLANGE ADAPTER 2" IPS  
12HICRT03 PE4710 SDR 9 FLANGE ADAPTER 3" IPS  
12HICRT04 PE4710 SDR 9 FLANGE ADAPTER 4" IPS  
12HICRT06 PE4710 SDR 9 FLANGE ADAPTER 6" IPS  
12HICRT08 PE4710 SDR 9 FLANGE ADAPTER 8" IPS  
12HICRT10 PE4710 SDR 9 FLANGE ADAPTER 10" IPS

- [3] 12EIGEM02 PE100 SDR11 E/F SINGLE WIRE 90° ELBOW D.2" IPS
- 12EIGEM03 PE100 SDR11 E/F SINGLE WIRE 90° ELBOW D.3" IPS
- 12EIME01 PE100 SDR11 E/F COUPLER D.1" IPS
- 12EIME012C PE100 SDR11 E/F COUPLER D.1/2" CTS
- 12EIME01C PE100 SDR11 E/F COUPLER D.1" CTS
- 12EIME02 PE100 SDR11 E/F COUPLER D.2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EIME03 PE100 SDR11 E/F COUPLER D.3"  
12EIME034 PE100 SDR11 E/F COUPLER D.3/4"  
12EIME04 PE100 SDR11 E/F COUPLER D.4"  
12EIME06 PE100 SDR11 E/F COUPLER D.6"  
12EIME08 PE100 SDR11 E/F COUPLER D.8"  
12EIME10 PE100 SDR11 E/F COUPLER D.10"  
12EIME112 PE100 SDR11 E/F COUPLER D.1"1/2  
12EIME114 PE100 SDR11 E/F COUPLER D.1"1/4  
12EIME12 PE100 SDR11 E/F COUPLER D.12"  
12EIME14 PE100 SDR11 E/F COUPLER D.14"  
12EIME16 PE100 SDR11 E/F COUPLER D.16"  
12EIME18 PE100 SDR11 E/F COUPLER D.18"  
12EIME20 PE100 SDR11 E/F COUPLER D.20"  
12EIME22 PE100 SDR11 E/F COUPLER D.22"  
12EIME24 PE100 SDR11 E/F COUPLER D.24"  
12EIME30 PE100 SDR11 E/F COUPLER D.30" IPS  
12EIMED08 PE100 E/F COUPLER D.8" DIPS 230 psi  
12EIMED10 PE100 E/F COUPLER D.10" DIPS 230 psi  
12EIMED12 PE100 E/F COUPLER D.12" DIPS 230 psi  
12EIRDE01034 E/F REDUCER D.1"IPSx3/4"IPS  
12EIRDE01C012C E/F REDUCER D.1"CTSx1/2"CTS  
12EIRDE01C034 E/F REDUCER D.1"CTSx3/4"IPS  
12EIRDE02112 E/F REDUCER D.2" IPS x 1"1/2 IPS  
12EIRDE02114 E/F REDUCER D.2"IPSx1"1/4 IPS  
12EIRDE0302 E/F REDUCER D. 3"IPS x 2"IPS  
12EIRDE034012 E/F REDUCER D.3/4"IPSx1/2"IPS  
12EIRDE034012C E/F REDUCER D.3/4"IPSx1/2"CTS  
12EIRDE034034C E/F REDUCER D.3/4" IPS x 3/4" CTS  
12EIRDE0402 E/F REDUCER D.4"IPSx2"IPS  
12EIRDE0403 E/F REDUCER D.4"IPSx3"IPS  
12EIRDE0604 E/F REDUCER D.6"IPSx4"IPS  
12EIRDE114114C E/F REDUCER D.1"1/4 IPS x 1"1/4 CTS  
12EIRDME0363 PE100 SDR11 E/F REDUCER D. 3" IPS x 63 mm  
12EIRDME04110 PE100 SDR11 E/F REDUCER D. 110 mm x 4" IPS  
12EIRDME0616 PE100 SDR11 E/F REDUCER D. 6" IPS x 160 mm  
12EIRDME11003 PE100 SDR11 E/F REDUCER D. 110 mm x 3" IPS  
12EIRDME11240 PE100 SDR11 E/F REDUCER D. 1"1/2 IPS x 40 mm  
12EIRDME11440 PE100 SDR11 E/F REDUCER D. 1"1/4 IPS x 40 mm  
12EIRDME12504 PE100 SDR11 E/F REDUCER D.125mm x 4" IPS  
12EIRDME3420 PE100 SDR11 E/F REDUCER 20 mm x 3/4" IPS  
12EIRDME4001 PE100 SDR11 E/F REDUCER D. 40mm x 1" IPS  
12EIRDME4034 PE100 SDR11 E/F REDUCER 40 mm x 3/4" IPS  
12EIRDME6302 PE100 SDR11 E/F REDUCER D. 63mm x 2" IPS  
12DIR0302 BUT FUSION REDUCER D. 3"IPS x 2"IPS PE100 SDR17  
12DIR0402 BUT FUSION REDUCER D. 4"IPS x 2"IPS PE100 SDR17  
12DIR0403 BUT FUSION REDUCER D. 4"IPS x 3"IPS PE100 SDR17  
12DIR0603 BUT FUSION REDUCER D. 6"IPS x 3"IPS PE100 SDR17  
12DIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR17  
12DIR0804 BUT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR17  
12DIR0806 BUT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR17  
12DIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR17  
12DIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR17  
12DIR1206 BUT FUSION REDUCER D. 12"IPS x 6"IPS PE100 SDR17  
12DIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR17  
12DIR1210 BUT FUSION REDUCER D. 12"IPSx10"IPS PE100 SDR17  
12EIBFRS04 BUTT FUSION REPAIR SLEEVE 4"  
12EIBFRS06 BUTT FUSION REPAIR SLEEVE 6" IPS  
12EIG02 PE100 SDR11 BUTT FUSION 90° ELBOW 2" IPS  
12EIG03 PE100 SDR11 BUTT FUSION 90° ELBOW 3" IPS  
12EIG04 PE100 SDR11 BUTT FUSION 90° ELBOW 4" IPS

[4] 12EIG06 PE100 SDR11 BUTT FUSION 90° ELBOW 6" IPS  
12EIRO2112 BUT FUSION REDUCER D. 2" IPS x 1"1/2 IPS  
12EIRO302 BUT FUSION REDUCER D. 3" IPS x 2" IPS  
12EIRO402 BUT FUSION REDUCER D. 4" IPS x 2" IPS  
12EIRO403 BUT FUSION REDUCER D. 4" IPS x 3" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EIR0603 BUT FUSION REDUCER D. 6"IPS x 3"IPS PE100 SDR11  
12EIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR11  
12EIR0804 BUT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR11  
12EIR0806 BUT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR11  
12EIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR11  
12EIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR11  
12EIR112114 BUTT FUSION REDUCER D. 1"1/2 IPS x 1"1/4 IPS  
12EIR1206 BUT FUSION REDUCER D. 12"IPS x 6"IPS PE100 SDR11  
12EIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR11  
12EITRS0201 BUTT FUS. RED. TEE 2"IPS x 1" IPS PE4710 230PSI  
12EITRS02034 BUTT FUS. RED. TEE 2"IPS x 3/4" IPS PE4710 230PSI  
12EITRS02114 BUTT FUS. RED. TEE 2"IPS x 1"1/4 IPS PE4710 230PSI  
12EITRS0301 BUTT FUS. RED. TEE 3"IPS x 1" IPS PE4710 230PSI  
12EITRS0302 BUTT FUS. RED. TEE 3"IPS x 2" IPS PE4710 230PSI  
12EITRS03114 BUTT FUS. RED. TEE 3"IPS x 1"1/4 IPS PE4710 230PSI  
12EITRS0402 BUTT FUS. RED. TEE 4"IPS x 2" IPS PE4710 230PSI  
12EITRS04114 BUTT FUS. RED. TEE 4"IPS x 1"1/4 IPS PE4710 230PSI  
12EITRS0602 BUTT FUS. RED. TEE 6"IPS x 2" IPS PE4710 230PSI  
12EITRS0603 BUTT FUS. RED. TEE 6"IPS x 3" IPS PE4710 230PSI  
12EITRS0604 BUTT FUS. RED. TEE 6"IPS x 4" IPS PE4710 230PSI  
12HICRT12 PE4710 SDR 9 FLANGE ADAPTER 12" IPS  
12HICRT14 PE4710 SDR 9 FLANGE ADAPTER 14" IPS  
12HICRT16 PE4710 SDR 9 FLANGE ADAPTER 16" IPS  
12HICRT18 PE4710 SDR 9 FLANGE ADAPTER 18" IPS  
12HICRT20 PE4710 SDR 9 FLANGE ADAPTER 20" IPS  
12HICRT24 PE4710 SDR 9 FLANGE ADAPTER 24" IPS  
12HIR0302 BUT FUSION REDUCER D. 3"IPS x 2"IPS PE100 SDR9  
12HIR0402 BUT FUSION REDUCER D. 4"IPS x 2"IPS PE100 SDR9  
12HIR0403 BUT FUSION REDUCER D. 4"IPS x 3"IPS PE100 SDR9  
12HIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR9  
12HIR0804 BUT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR9  
12HIR0806 BUT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR9  
12HIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR9  
12HIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR9  
12HIR1206 BUT FUSION REDUCER D. 12"IPS x 6"IPS PE100 SDR9  
12HIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR9  
12DIME08 E/F COUPLER D.8" IPS 160PSI  
12DIME10 E/F COUPLER D.10" 160 psi  
12DIME12 E/F COUPLER D.12" 160 psi  
12DIME16 E/F COUPLER D.16" 160 psi  
12DIME22 E/F COUPLER D.22" 160 psi  
12DIME28 E/F COUPLER D.28" 160 psi  
12DIME32 E/F COUPLER D.32" IPS 160PSI  
12DIME36 E/F COUPLER D.36" IPS 160PSI  
12DIMED16 E/F COUPLER D.16" DIPS 160 psi  
12DIMED24 E/F COUPLER D.24" DIPS 160 psi  
[5] 12DIC02 PE100 SDR17 BUTT FUSION 45° ELBOW 2" IPS LONG S.  
12DIC03 PE100 SDR17 BUTT FUSION 45° ELBOW 3" IPS LONG S.  
12DIC04 PE100 SDR17 BUTT FUSION 45° ELBOW 4" IPS LONG S.  
12DIC06 PE100 SDR17 BUTT FUSION 45° ELBOW 6" IPS LONG S.  
12DIC08 PE100 SDR17 BUTT FUSION 45° ELBOW 8" IPS LONG S.  
12DICRT26 PE4710 SDR17 FLANGE ADAPTER 26" IPS  
12DICRT28 PE4710 SDR17 FLANGE ADAPTER 28" IPS  
12DICRT30 PE4710 SDR17 FLANGE ADAPTER 30" IPS  
12DICRT36 PE4710 SDR17 FLANGE ADAPTER 36" IPS  
12DICRTC26 PE4710 SDR17 SHORT SPIGOT FLANGE ADAPTER 26" IPS  
12DIG02 PE100 SDR17 BUTT FUSION 90° ELBOW 2" IPS  
12DIG03 PE100 SDR17 BUTT FUSION 90° ELBOW 3" IPS  
12DIG04 PE100 SDR17 BUTT FUSION 90° ELBOW 4" IPS  
12DIG06 PE100 SDR17 BUTT FUSION 90° ELBOW 6" IPS  
12DIG08 PE100 SDR17 BUTT FUSION 90° ELBOW 8" IPS  
12DIMED24 E/F COUPLER D. 24" DIPS 160 psi  
12DIR0302 BUTT FUSION REDUCER D. 3" IPS x 2" IPS PE100 SDR17  
12DIR0402 BUTT FUSION REDUCER D. 4" IPS x 2" IPS PE100 SDR17  
12DIR0403 BUTT FUSION REDUCER D. 4" IPS x 3" IPS PE100 SDR17  
12DIR0603 PE100 SDR17 BUTT FUSION REDUCER 6" IPS - 3" IPS  
12DIT02 PE100 SDR17 BUTT FUSION TEE 2" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12DIT03 PE100 SDR17 BUTT FUSION TEE 3" IPS  
12DIT04 PE100 SDR17 BUTT FUSION TEE 4" IPS  
12DIT06 PE100 SDR17 BUTT FUSION TEE 6" IPS  
12DIT08 PE100 SDR17 BUTT FUSION TEE 8" IPS  
12EIBFRS06 BUTT FUSION REPAIR SLEEVE 6" IPS  
12EIBFRS08 BUTT FUSION REPAIR SLEEVE 8"  
12EIBFRS12 BUTT FUSION REPAIR SLEEVE 12"  
12EIC08 45° ELBOW 8" IPS LONG SPIGOT  
12EICAL04 E/F 4" END CAP  
12EICAL06 E/F 6" END CAP  
12EICAL08 E/F 8" END CAP  
12EICEM03 E/F SINGLE WIRE 45° ELBOW 3" IPS  
12EICRT04D PE4710 SDR11 FLANGE ADAPTER 4" DIPS  
12EICRT06 PE4710 SDR11 FLANGE ADAPTER 6" IPS  
12EICRT06D PE4710 SDR11 FLANGE ADAPTER 6" DIPS  
12EICRT08D PE4710 SDR11 FLANGE ADAPTER 8" DIPS  
12EICRT10D PE4710 SDR11 FLANGE ADAPTER 10" DIPS  
12EICRT12D PE4710 SDR11 FLANGE ADAPTER 12" DIPS  
12EICRT14 PE4710 SDR11 FLANGE ADAPTER 14" IPS  
12EICRT14D PE4710 SDR11 FLANGE ADAPTER 14" DIPS  
12EICRT16 PE4710 SDR11 FLANGE ADAPTER 16" IPS  
12EICRT16D PE4710 SDR11 FLANGE ADAPTER 16" DIPS  
12EICRT18 PE4710 SDR11 FLANGE ADAPTER 18" IPS  
12EICRT20 PE4710 SDR11 FLANGE ADAPTER 20" IPS  
12EICRT22 PE4710 SDR11 FLANGE ADAPTER 22" IPS  
12EICRT24 PE4710 SDR11 FLANGE ADAPTER 24" IPS  
12EICRT28 PE4710 SDR11 FLANGE ADAPTER 28" IPS  
12EICRT30 PE4710 SDR11 FLANGE ADAPTER 30" IPS  
12EICRT36 PE4710 SDR11 FLANGE ADAPTER 36" IPS  
12EICRTB08 PE4710 SDR11 FLANGE ADAPTER 8" IPS BEVELED  
12EIG02 PE100 SDR11 BUTT FUSION 90° ELBOW 2" IPS  
12EIG03 PE100 SDR11 BUTT FUSION 90° ELBOW 3" IPS  
12EIG04 PE100 SDR11 BUTT FUSION 90° ELBOW 4" IPS  
12EIG06 PE100 SDR11 BUTT FUSION 90° ELBOW 6" IPS  
12EIG08 PE100 SDR11 BUTT FUSION 90° ELBOW 8" IPS  
12EIGEM02 PE100 SDR11 E/F SINGLE WIRE 90° ELBOW D. 2" IPS  
12EIGEM03 PE100 SDR11 E/F SINGLE WIRE 90° ELBOW D. 3" IPS  
12EIME01 PE100 SDR11 E/F COUPLER D. 1" IPS  
12EIME012C PE100 SDR11 E/F COUPLER D. 1/2" CTS  
12EIME01C PE100 SDR11 E/F COUPLER D. 1" CTS  
12EIME02 PE100 SDR11 E/F COUPLER D. 2"  
12EIME03 PE100 SDR11 E/F COUPLER D. 3"  
12EIME034 PE100 SDR11 E/F COUPLER D. 3/4"  
12EIME04 PE100 SDR11 E/F COUPLER D. 4"  
12EIME06 PE100 SDR11 E/F COUPLER D. 6"  
12EIME08 PE100 SDR11 E/F COUPLER D. 8"  
12EIME10 PE100 SDR11 E/F COUPLER D. 10"  
12EIME28 PE100 SDR11 E/F COUPLER D. 28"

[6] 12EIMJ03 MALE JOINT ADAPTER 3" DIPS x 3" IPS  
12EIMJ03D MALE JOINT ADAPTER 3" DIPS x 3" DIPS  
12EIMJ03DSS MALE JOINT ADAPTER 3" DIPS x 3" DIPS  
12EIMJ03SS MALE JOINT ADAPTER 3" DIPS x 3" IPS  
12EIMJ04 MALE JOINT ADAPTER 4" DIPS x 4" IPS  
12EIMJ04D MALE JOINT ADAPTER 4" DIPS x 4" DIPS  
12EIMJ04DSS MALE JOINT ADAPTER 4" DIPS x 4" DIPS  
12EIMJ04SS MALE JOINT ADAPTER 4" DIPS x 4" IPS  
12EIMJ06 MALE JOINT ADAPTER 6" DIPS x 6" IPS  
12EIMJ06D MALE JOINT ADAPTER 6" DIPS x 6" DIPS  
12EIMJ06DSS MALE JOINT ADAPTER 6" DIPS x 6" DIPS  
12EIMJ06SS MALE JOINT ADAPTER 6" DIPS x 6" IPS  
12EIMJ08 MALE JOINT ADAPTER 8" DIPS x 8" IPS  
12EIMJ08D MALE JOINT ADAPTER 8" DIPS x 8" DIPS  
12EIMJ08DSS MALE JOINT ADAPTER 8" DIPS x 8" DIPS  
12EIMJ08SS MALE JOINT ADAPTER 8" DIPS x 8" IPS  
12EIMJ10 MALE JOINT ADAPTER 10" DIPS x 10" IPS  
12EIMJ10D MALE JOINT ADAPTER 10" DIPS x 10" DIPS  
12EIMJ10DSS MALE JOINT ADAPTER 10" DIPS x 10" DIPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EIMJ10SS MALE JOINT ADAPTER 10" DIPS x 10" IPS  
12EIMJ12 MALE JOINT ADAPTER 12" DIPS x 12" IPS  
12EIMJ12D MALE JOINT ADAPTER 12" DIPS x 12" DIPS  
12EIMJ12DSS MALE JOINT ADAPTER 12" DIPS x 12" DIPS  
12EIMJ12SS MALE JOINT ADAPTER 12" DIPS x 12" IPS  
12EIMJ14 MALE JOINT ADAPTER 14" DIPS x 14" IPS  
12EIMJ14D MALE JOINT ADAPTER 14" DIPS x 14" DIPS  
12EIMJ14DSS MALE JOINT ADAPTER 14" DIPS x 14" DIPS  
12EIMJ14SS MALE JOINT ADAPTER 14" DIPS x 14" IPS  
12EIMJ16 MALE JOINT ADAPTER 16" DIPS x 16" IPS  
12EIMJ16D MALE JOINT ADAPTER 16" DIPS x 16" DIPS  
12EIMJ16DSS MALE JOINT ADAPTER 16" DIPS x 16" DIPS  
12EIMJ16SS MALE JOINT ADAPTER 16" DIPS x 16" IPS  
12EIMJ18 MALE JOINT ADAPTER 18" DIPS x 18" IPS  
12EIMJ18D MALE JOINT ADAPTER 18" DIPS x 18" DIPS  
12EIMJ20 MALE JOINT ADAPTER 20" DIPS x 20" IPS  
12EIMJ20D MALE JOINT ADAPTER 20" DIPS x 20" DIPS  
12EIMJ24 MALE JOINT ADAPTER 24" DIPS x 24" IPS  
12EIMJ24D MALE JOINT ADAPTER 24" DIPS x 24" DIPS  
12EIR02112 BUTT FUSION REDUCER D. 2" IPS x 1 1/2" IPS  
12EIR0302 BUTT FUSION REDUCER D. 3" IPS x 2" IPS  
12EIR0402 BUTT FUSION REDUCER D. 4" IPS x 2" IPS  
12EIR0403 BUTT FUSION REDUCER D. 4" IPS x 3" IPS  
12EIR0603 PE100 SDR11 BUTT FUSION REDUCER 6" IPS - 3" IPS  
12EIR0604 BUTT FUSION REDUCER D. 6" IPS x 4" IPS PE100 SDR11  
12EIR0804 BUTT FUSION REDUCER D. 8" IPS x 4" IPS PE100 SDR11  
12EIR0806 BUTT FUSION REDUCER D. 8" IPS x 6" IPS PE100 SDR11  
12EIR1006 BUTT FUSION REDUCER D. 10" IPSx6" IPS PE100 SDR11  
12EIR1008 BUTT FUSION REDUCER D. 10" IPSx8" IPS PE100 SDR11  
12EIR112114 BUTT FUSION REDUCER D. 1 1/2" IPS x 1 1/4" IPS  
12EIR1210 BUTT FUSION REDUCER D. 12" IPSx10" IPS PE100 SDR11  
12EIRDME11440 PE100 SDR11 E/F REDUCER D. 1 1/4" IPS x 40 mm  
12EIRDME4034 PE100 SDR11 E/F REDUCER 40 mm x 3/4" IPS  
12EIRDME6302 PE100 SDR11 E/F REDUCER D. 63mm x 2" IPS  
12EIRS0201 SOCKET FUSION REDUCING DN 2" - 1" IPS  
12EIRS02034 SOCKET FUSION REDUCING DN 2" - 3/4" IPS  
12EIRS02112 SOCKET FUSION REDUCING DN 2" - 1 1/2" IPS  
12EIRS02114 SOCKET FUSION REDUCING DN 2" - 1 1/4" IPS  
12EIRS11201 SOCKET FUSION REDUCING DN 1 1/2" - 1" IPS  
12EIRS112034 SOCKET FUSION REDUCING DN 1 1/2" - 3/4" IPS  
12EIRS112114 SOCKET FUSION REDUCING DN 1 1/2" - 1 1/4" IPS  
12EIRS11401 SOCKET FUSION REDUCING DN 1 1/4" - 1" IPS  
12EIRS114034 SOCKET FUSION REDUCING DN 1 1/4" - 3/4" IPS  
12EIRSC02114 SOCKET FUSION FEM. RED. COUPLING D. 2" - 1 1/4" IPS  
12EIRSC11401 SOCKET FUSION FEM. RED. COUPLING D. 1 1/4" - 1" IPS  
12EISC01 SOCKET FUSION COUPLING DN 1" IPS  
12EISC02 SOCKET FUSION COUPLING DN 2" IPS  
12EISC034 SOCKET FUSION COUPLING DN 3/4" IPS  
12EISC112 SOCKET FUSION COUPLING DN 1 1/2" IPS  
12EISC114 SOCKET FUSION COUPLING DN 1 1/4" IPS  
12EISC4501 SOCKET FUSION 45° ELBOW DN 1" IPS  
12EISC4502 SOCKET FUSION 45° ELBOW DN 2" IPS  
[7] 12EISTR112114034 SOCKET FUSION RED. TEE D. 1 1/2" - 1 1/4" -3/4" IPS  
12EISTR11411401 SOCKET FUSION RED. TEE DN 1 1/4" - 1 1/4" - 1" IPS  
12EISTR114114034 SOCKET FUSION RED. TEE DN 1 1/4" - 1 1/4" - 3/4" IPS  
12EIT02 PE100 SDR11 BUTT FUSION TEE 2" IPS  
12EIT03 PE100 SDR11 BUTT FUSION TEE 3" IPS  
12EIT04 PE100 SDR11 BUTT FUSION TEE 4" IPS  
12EIT06 PE100 SDR11 BUTT FUSION TEE 6" IPS  
12EIT08 PE100 SDR11 BUTT FUSION TEE 8" IPS  
12EITCE012C S. WIRE E/F TEE W/SPIGOT END D. 1/2" CTS  
12EITCE01C S. WIRE E/F TEE W/SPIGOT END D. 1" CTS  
12EITCE02 S. WIRE E/F TEE W/SPIGOT END D. 2" IPS  
12EITCE114 S. WIRE E/F TEE W/SPIGOT END D. 1 1/4" IPS  
12EITRMC1612 PE4710 SDR11 REDUCING TEE 16" IPS x 12" IPS  
12EITRS0403 BUTT FUS. RED. TEE 4" IPS x 3" IPS  
12EITRS0804 BUTT FUS. RED. TEE 8" IPSx4" IPS PE4710 230PSI

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EITRS0806 BUTT FUS. RED. TEE 8" IPSx6" IPS PE4710 230PSI  
12EIVLRS02180 VARIABLE LENGHT REPAIR SLEEVE 2" IPS 180°  
12EIVLRS02180M MODULAR VARIABLE LENGHT REPAIR SLEEVE 2" IPS 180°  
12EIVLRS04 VARIABLE LENGHT REPAIR SLEEVE 4" IPS  
12EIVLRS04180 VARIABLE LENGHT REPAIR SLEEVE 4" IPS 180°  
12EIVLRS04180M MODULAR VARIABLE LENGHT REPAIR SLEEVE 4" IPS 180°  
12EIVLRS04M VARIABLE LENGHT REPAIR SLEEVE 4" IPS MODULAR  
12EIVLRS06180 VARIABLE LENGHT REPAIR SLEEVE 6" IPS 180°  
12EIVLRS06180M MODULAR VARIABLE LENGHT REPAIR SLEEVE 6" IPS 180°  
12EIWYE02 BUTT FUSION 45° WYE 2" IPS PE4710 SDR11  
12GIC03 PE4710 SDR 7 45° ELBOW LONG SPIGOT 3" IPS  
12GIC04 PE4710 SDR7 45° ELBOW LONG SPIGOT 4" IPS  
12GIC06 PE4710 SDR7 -45° ELBOW LONG SPIGOT 6" IPS  
12GICRT02 PE4710 SDR 7 FLANGE ADAPTER 2" IPS  
12GICRT03 PE4710 SDR 7 FLANGE ADAPTER 3" IPS  
12GICRT04 PE4710 SDR 7 FLANGE ADAPTER 4" IPS  
12GICRT06 PE4710 SDR 7 FLANGE ADAPTER 6" IPS  
12GICRT08 PE4710 SDR 7 FLANGE ADAPTER 8" IPS  
12GICRT10 PE4710 SDR 7 FLANGE ADAPTER 10" IPS  
12GICRT12 PE4710 SDR 7 FLANGE ADAPTER 12" IPS  
12GICRT14 PE4710 SDR 7 FLANGE ADAPTER 14" IPS  
12GICRT16 PE4710 SDR 7 FLANGE ADAPTER 16" IPS  
12GICRT18 PE4710 SDR 7 FLANGE ADAPTER 18" IPS  
12GICRT20 PE4710 SDR 7 FLANGE ADAPTER 20" IPS  
12GICRT24 PE4710 SDR 7 FLANGE ADAPTER 24" IPS  
12GIG02 PE100 SDR7 BUTT FUSION 90° ELBOW 2" IPS  
12GIG03 PE100 SDR7 BUTT FUSION 90° ELBOW 3" IPS  
12GIG04 PE100 SDR7 BUTT FUSION 90° ELBOW 4" IPS  
12GIG06 PE100 SDR7 BUTT FUSION 90° ELBOW 6" IPS  
12GIME06 E/F COUPLER D. 6" IPS 380PSI  
12GIME08 E/F COUPLER D. 8 IPS 380PSI  
12GIME10 E/F COUPLER D. 10" IPS 380PSI  
12GIME12 E/F Coupler 12" IPS 380PSI  
12GIR0302 BUTT FUSION REDUCER D. 3" IPS x 2" IPS PE100 SDR7  
12GIR0402 BUTT FUSION REDUCER D. 4" IPS x 2" IPS PE100 SDR7  
12GIR0403 BUTT FUSION REDUCER D. 4" IPS x 3" IPS PE100 SDR7  
12GIR0604 BUTT FUSION REDUCER D. 6" IPS x 4" IPS PE100 SDR7  
12GIR0806 BUTT FUSION REDUCER D. 8" IPS x 6" IPS PE100 SDR7  
12GIR1006 BUTT FUSION REDUCER D. 10" IPS x 6" IPS PE100 SDR7  
12GIR1008 BUTT FUSION REDUCER D. 10" IPS x 8" IPS PE100 SDR7  
12GIR1208 BUTT FUSION REDUCER D. 12" IPS x 8" IPS PE100 SDR7  
12GIT03 PE100 SDR7 BUTT FUSION TEE 3" IPS  
12GIT04 PE100 SDR7 BUTT FUSION TEE 4" IPS  
12GIT06 PE100 SDR7 BUTT FUSION TEE 6" IPS  
12HIC03 PE4710 SDR9 GOMITO 45° D. 3" IPS  
12HIC04 PE4710 SDR9 ELBOW 45° D. 4" IPS  
12HIC06 PE4710 SDR9 ELBOW 45° 6" IPS  
12HICRT02 PE4710 SDR 9 FLANGE ADAPTER 2" IPS  
12HICRT03 PE4710 SDR 9 FLANGE ADAPTER 3" IPS  
12HICRT04 PE4710 SDR 9 FLANGE ADAPTER 4" IPS  
12HICRT04D PE4710 SDR9 FLANGE ADAPTER 4" DIPS  
12HICRT06 PE4710 SDR 9 FLANGE ADAPTER 6" IPS  
12HICRT06D PE4710 SDR9 FLANGE ADAPTER 6" DIPS  
12HICRT08 PE4710 SDR 9 FLANGE ADAPTER 8" IPS  
12HICRT08D PE4710 SDR9 FLANGE ADAPTER 8" DIPS  
12HICRT10D PE4710 SDR9 FLANGE ADAPTER 10" DIPS  
12HICRT12D PE4710 SDR9 FLANGE ADAPTER 12" DIPS  
12HICRT14D PE4710 SDR9 FLANGE ADAPTER 14" DIPS  
12HICRT16D PE4710 SDR9 FLANGE ADAPTER 16" DIPS  
[8] 12HIG02 PE4710 SDR9 ELBOW 90° 2" IPS  
12HIG03 PE100 SDR9 BUTT FUSION 90° ELBOW 3" IPS  
12HIG04 PE100 SDR9 BUTT FUSION 90° ELBOW 4" IPS  
12HIG06 PE100 SDR9 BUTT FUSION 90° ELBOW 6" IPS  
12HIG08 PE100 SDR9 BUTT FUSION 90° ELBOW 8" IPS  
12HIMJ03DSS MALE JOINT ADAPTER 3" DIPS x 3" DIPS SDR9  
12HIMJ03SS MALE JOINT ADAPTER 3" DIPS x 3" IPS SDR9  
12HIMJ04 MALE JOINT ADAPTER 4" DIPS x 4" IPS SDR9

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12HIMJ04D MALE JOINT ADAPTER 4" DIPS x 4" DIPS SDR9  
12HIMJ04DSS MALE JOINT ADAPTER 4" DIPS x 4" DIPS SDR9  
12HIMJ04SS MALE JOINT ADAPTER 4" DIPS x 4" IPS SDR9  
12HIMJ06 MALE JOINT ADAPTER 6" DIPS x 6" IPS SDR9  
12HIMJ06D MALE JOINT ADAPTER 6" DIPS x 6" DIPS SDR9  
12HIMJ06DSS MALE JOINT ADAPTER 6" DIPS x 6" DIPS SDR9  
12HIMJ06SS MALE JOINT ADAPTER 6" DIPS x 6" IPS SDR9  
12HIMJ08 MALE JOINT ADAPTER 8" DIPS x 8" IPS SDR9  
12HIMJ08D MALE JOINT ADAPTER 8" DIPS x 8" DIPS SDR9  
12HIMJ08DSS MALE JOINT ADAPTER 8" DIPS x 8" DIPS SDR9  
12HIMJ08SS MALE JOINT ADAPTER 8" DIPS x 8" IPS SDR9  
12HIMJ10 MALE JOINT ADAPTER 10" DIPS x 10" DIPS SDR9  
12HIMJ10D MALE JOINT ADAPTER 10" DIPS x 10" DIPS SDR9  
12HIMJ10DSS MALE JOINT ADAPTER 10" DIPS x 10" DIPS SDR9  
12HIMJ10SS MALE JOINT ADAPTER 10" DIPS x 10" IPS SDR9  
12HIMJ12 MALE JOINT ADAPTER 12" DIPS x 12" IPS SDR9  
12HIMJ12D MALE JOINT ADAPTER 12" DIPS x 12" DIPS SDR9  
12HIMJ12DSS MALE JOINT ADAPTER 12" DIPS x 12" DIPS SDR9  
12HIMJ12SS MALE JOINT ADAPTER 12" DIPS x 12" IPS SDR9  
12HIMJ14 MALE JOINT ADAPTER 14" DIPS x 14" IPS SDR9  
12HIMJ14D MALE JOINT ADAPTER 14" DIPS x 14" DIPS SDR9  
12HIMJ14DSS MALE JOINT ADAPTER 14" DIPS x 14" DIPS SDR9  
12HIMJ14SS MALE JOINT ADAPTER 14" DIPS x 14" IPS SDR9  
12HIMJ16 MALE JOINT ADAPTER 16" DIPS x 16" IPS SDR9  
12HIMJ16D MALE JOINT ADAPTER 16" DIPS x 16" DIPS SDR9  
12HIMJ16DSS MALE JOINT ADAPTER 16" DIPS x 16" DIPS SDR9  
12HIMJ16SS MALE JOINT ADAPTER 16" DIPS x 16" IPS SDR9  
12HIMJ18 MALE JOINT ADAPTER 18" DIPS x 18" IPS SDR9  
12HIMJ18D MALE JOINT ADAPTER 18" DIPS x 18" DIPS SDR9  
12HIMJ20 MALE JOINT ADAPTER 20" DIPS x 20" IPS SDR9  
12HIMJ20D MALE JOINT ADAPTER 20" DIPS x 20" DIPS SDR9  
12HIMJ24 MALE JOINT ADAPTER 24" DIPS x 24" IPS SDR9  
12HIMJ24D MALE JOINT ADAPTER 24" DIPS x 24" DIPS SDR9  
12HIT03 PE100 SDR9 BUTT FUSION TEE 3" IPS  
12HIT04 PE100 SDR9 BUTT FUSION TEE 4" IPS  
12HIT06 PE100 SDR9 BUTT FUSION TEE 6" IPS

[9] Configurations include:

Socket Long Radius 90° Elbow  
27NCLR20 1/2"  
27NCLR25 3/4"  
Crossover Pipe - Plain End  
27NSOR20 1/2"  
27NSOR25 3/4"  
27NSOR32 1"  
Compact Cross Over F/F - Socket  
27NSOFF20 1/2"  
27NSOFF25 3/4"  
Compact Cross Over M/F - Socket  
27NSOFM20 1/2"  
27NSOFM25 3/4"  
Socket Fusion 90° Elbow  
27NG20 1/2"  
27NG25 3/4"  
27NG32 1"  
27NG40 1 1/4"  
27NG50 1 1/2"  
27NG63 2"  
27NG75 2 1/2"  
27NG90 3"  
27NG110 3 1/2"  
27NG125 4"  
Butt Weld 90° Elbow - Long Spigot (SDR 7.3)  
27NG907463MM 2"  
27NG907490MM 3"  
27NG9074110MM 3 1/2"  
27NG9074125MM 4"  
27NG9074160MM 6"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Segmented 90° Elbow - Long Spigot (SDR 7.3)  
27NG9074200MM 8"  
27NG9074250MM 10"  
27NG9074315MM 12"  
27NG9074355MM 14"  
Butt Weld 90° Elbow - Long Spigot (SDR 11)  
27NG901163MM 2"  
27NG901190MM 3"  
27NG9011110MM 3 1/2"  
27NG9011125MM 4"  
27NG9011160MM 6"  
27NG9011200MM 8"  
27NG9011250MM 10"  
27NG9011315MM 12"  
Segmented 90° Elbow - Long Spigot (SDR 11)  
27NG9011355MM 14"  
27NG9011400MM 16"  
27NG9011450MM 18"  
27NG9011500MM 20"  
Butt Weld 90° Elbow - Long Spigot (SDR 17)  
27NG901763MM 2"  
27NG901790MM 3"  
27NG9017110MM 3 1/2"  
27NG9017125MM 4"  
27NG9017160MM 6"  
27NG9017200MM 8"  
27NG9017250MM 10"  
27NG9017315MM 12"  
Segmented 90° Elbow - Long Spigot (SDR 17)  
27NG9017355MM 14"  
27NG9017400MM 16"  
27NG9017450MM 18"  
27NG9017500MM 20"  
27NG9017560MM 22"  
27NG9017630MM 24"  
Socket Fusion Street 90° Elbow  
27NGMF20 1/2"  
27NGMF25 3/4"  
27NGMF32 1"  
27NGMF40 1 1/4"  
Socket Fusion 45° Elbow  
27NC4520 1/2"  
27NC4525 3/4"  
27NC4532 1"  
27NC4540 1 1/4"  
27NC4550 1 1/2"  
27NC4563 2"  
27NC4575 2 1/2"  
27NC4590 3"  
27NC45110 3 1/2"  
27NC45125 4"  
Butt Weld 45° Elbow - Long Spigot (SDR 7.3)  
27NC457463MM 2"  
27NC457490MM 3"  
27NC4574110MM 3 1/2"  
27NC4574125MM 4"  
27NC4574160MM 6"  
Segmented 45° Elbow - Long Spigot (SDR 7.3)  
27NC4574200MM 8"  
27NC4574250MM 10"  
27NC4574315MM 12"  
27NC4574355MM 14"  
Butt Weld 45° Elbow - Long Spigot (SDR 11)  
27NC451163MM 2"  
27NC451190MM 3"  
27NC4511110MM 3 1/2"  
27NC4511125MM 4"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.





27NC4511160MM 6"  
27NC4511200MM 8"  
27NC4511250MM 10"  
27NC4511315MM 12"  
Segmented 45° Elbow - Long Spigot (SDR 11)  
27NC4511355MM 14"  
27NC4511400MM 16"  
27NC4511450MM 18"  
27NC4511500MM 20"  
Butt Weld 45° Elbow - Long Spigot (SDR 17)  
27NC451763MM 2"  
27NC451790MM 3"  
27NC4517110MM 3 1/2"  
27NC4517125MM 4"  
27NC4517160MM 6"  
27NC4517200MM 8"  
27NC4517250MM 10"  
27NC4517315MM 12"  
Segmented 45° Elbow - Long Spigot (SDR 17)  
27NC4517355MM 14"  
27NC4517400MM 16"  
27NC4517450MM 18"  
27NC4517500MM 20"  
27NC4517560MM 22"  
27NC4517630MM 24"  
Socket Fusion Street 45° Elbow  
27NCMF4520 1/2"  
27NCMF4525 3/4"  
Socket Fusion Tee  
27NT20 1/2"  
27NT25 3/4"  
27NT32 1"  
27NT40 1 1/4"  
27NT50 1 1/2"  
27NT63 2"  
27NT75 2 1/2"  
27NT90 3"  
27NT110 3 1/2"  
27NT125 4"  
Butt Weld - Socket Fusion Tee (SDR 7.3)  
27NT7463MM 2"  
27NT7490MM 3"  
27NT74110MM 3 1/2"  
27NT74125MM 4"  
27NT74160MM 6"  
Segmented - Socket Fusion Tee (SDR 7.3)  
27NT74200MM 8"  
27NT74250MM 10"  
27NT74315MM 12"  
27NT74355MM 14"  
Butt Weld Tee - Long Spigot (SDR 11)  
27NT1163MM 2"  
27NT1190MM 3"  
27NT11110MM 3 1/2"  
27NT11125MM 4"  
27NT11160MM 6"  
27NT11200MM 8"  
27NT11250MM 10"  
Segmented Tee - Long Spigot (SDR 11)  
27NT11315MM 12"  
27NT11355MM 14"  
27NT11400MM 16"  
27NT11450MM 18"  
27NT11500MM 20"  
Butt Weld Tee - Long Spigot (SDR 17)  
27NT1763MM 2"  
27NT1790MM 3"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NT17110MM 3 1/2"  
27NT17125MM 4"  
27NT17160MM 6"  
27NT17200MM 8"  
27NT17250MM 10"  
Segmented Tee - Long Spigot (SDR 17)  
27NT17315MM 12"  
27NT17355MM 14"  
27NT17400MM 16"  
27NT17450MM 18"  
27NT17500MM 20"  
27NT17560MM 22"  
27NT17630MM 24"

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

[10] Socket Fusion Reduced Tee

27NTR252020 3/4" x 1/2" x 1/2"  
27NTR252025 3/4" x 1/2" x 3/4"  
27NTR252520 3/4" x 3/4" x 1/2"  
27NTR323225 1" x 1" x 3/4"  
27NTR253225 3/4" x 1" x 3/4"  
27NTR322020 1" x 1/2" x 1/2"  
27NTR322025 1" x 1/2" x 3/4"  
27NTR322525 1" x 3/4" x 3/4"  
27NTR322032 1" x 1/2" x 1"  
27NTR322532 1" x 3/4" x 1"  
27NTR402040 1 1/4" x 1/2" x 1 1/4"  
27NTR402540 1 1/4" x 3/4" x 1 1/4"  
27NTR403240 1 1/4" x 1" x 1 1/4"  
27NTR502050 1 1/2" x 1/2" x 1 1/2"  
27NTR502550 1 1/2" x 3/4" x 1 1/2"  
27NTR503250 1 1/2" x 1" x 1 1/2"  
27NTR504050 1 1/2" x 1 1/4" x 1 1/2"  
27NTR632563 2" x 3/4" x 2"  
27NTR633263 2" x 1" x 2"  
27NTR634063 2" x 1 1/4" x 2"  
27NTR635063 2" x 1 1/2" x 2"  
27NTR753275 2 1/2" x 1" x 2 1/2"  
27NTR754075 2 1/2" x 1 1/4" x 2 1/2"  
27NTR755075 2 1/2" x 1 1/2" x 2 1/2"  
27NTR756375 2 1/2" x 2" x 2 1/2"  
27NTR906390 3" x 2" x 3"  
27NTR907590 3" x 2 1/2" x 3"  
27NTR11063110 3 1/2" x 2" x 3 1/2"  
27NTR11075110 3 1/2" x 2 1/2" x 3 1/2"  
27NTR11090110 3 1/2" x 3" x 3 1/2"  
27NTR12575125 4" x 2 1/2" x 4"  
27NTR12590125 4" x 3" x 4"  
27NTR125110125 4" x 3 1/2" x 4"  
Fusion Male Side Fusion Reduced Tee - Long Spigot  
27NTR11160110M160 6" x 3 1/2" x 6"  
27NTR11160125M160 6" x 4" x 5"  
27NTR11200110M200 8" x 3 1/2" x 8"  
27NTR11200125M200 8" x 4" x 8"  
27NTR11200160M200 8" x 6" x 8"  
27NTR11250110M250 10" x 3 1/2" x 10"  
27NTR11250125M250 10" x 4" x 10"  
27NTR11250160M250 10" x 6" x 10"  
27NTR11315110M315 12" x 3 1/2" x 12"  
27NTR11315125M315 12" x 4" x 12"  
27NTR11315160M315 12" x 6" x 12"  
27NTR11355110M355 14" x 3 1/2" x 14"  
27NTR11355125M355 14" x 4" x 14"  
27NTR11355160M355 14" x 6" x 14"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Fusion Female Side Fusion Reduced Tee - Long Spigot

- 27NTR119040F90 3" x 1 1/4" x 3"
- 27NTR119050F90 3" x 1 1/2" x 3"
- 27NTR119063F90 3" x 2" x 3"
- 27NTR1111040F110 3 1/2" x 1 1/4" x 3 1/2"
- 27NTR1111050F110 3 1/2" x 1 1/2" x 3 1/2"
- 27NTR1111063F110 3 1/2" x 2" x 3 1/2"
- 27NTR1112540F125 4" x 1 1/4" x 4"
- 27NTR1112550F125 4" x 1 1/2" x 4"
- 27NTR1112563F125 4" x 2" x 4"
- 27NTR1112575F125 4" x 2 1/2" x 4"
- 27NTR1112590F125 4" x 3" x 4"
- 27NTR1116040F160 6" x 1 1/4" x 6"
- 27NTR1116050F160 6" x 1 1/2" x 6"
- 27NTR1116063F160 6" x 2" x 6"
- 27NTR1116075F160 6" x 2 1/2" x 6"
- 27NTR1116090F160 6" x 3" x 6"
- 27NTR1120040F200 8" x 1 1/4" x 8"
- 27NTR1120050F200 8" x 1 1/2" x 8"
- 27NTR1120063F200 8" x 2" x 8"
- 27NTR1120075F200 8" x 2 1/2" x 8"
- 27NTR1120090F200 8" x 3" x 8"
- 27NTR1125040F250 10" x 1 1/4" x 10"
- 27NTR1125050F250 10" x 1 1/2" x 10"
- 27NTR1125063F250 10" x 2" x 10"
- 27NTR1125075F250 10" x 2 1/2" x 10"
- 27NTR1125090F250 10" x 3" x 10"
- 27NTR1131540F315 12" x 1 1/4" x 12"
- 27NTR1131550F315 12" x 1 1/2" x 12"
- 27NTR1131563F315 12" x 2" x 12"
- 27NTR1131575F315 12" x 2 1/2" x 12"
- 27NTR1131590F315 12" x 3" x 12"
- 27NTR1135540F355 14" x 1 1/4" x 14"
- 27NTR1135550F355 14" x 1 1/2" x 14"
- 27NTR1135563F355 14" x 2" x 14"
- 27NTR1135575F355 14" x 2 1/2" x 14"
- 27NTR1135590F355 14" x 3 1/2" x 14"

Socket Fusion Reduced Cross

- 27NCR402020 1 1/4" x 1/2" x 1/2" x 1 1/4"
- 27NCR402525 1 1/4" x 3/4" x 3/4" x 1 1/4"

Socket Fusion Side Elbow Three Outlets

27NCTV20 1/2"

Socket Fusion Reduced Bushing

- 27NR2520 3/4" x 1/2"
- 27NR3220 1" x 1/2"
- 27NR3225 1" x 3/4"
- 27NR4020 1 1/4" x 1/2"
- 27NR4025 1 1/4" x 3/4"
- 27NR4032 1 1/4" x 1"
- 27NR5020 1 1/2" x 1/2"
- 27NR5025 1 1/2" x 3/4"
- 27NR5032 1 1/2" x 1"
- 27NR5040 1 1/2" x 1"
- 27NR6325 2" x 3/4"
- 27NR6332 2" x 1"
- 27NR6340 2" x 1 1/4"
- 27NR6350 2" x 1 1/2"
- 27NR7520 2 1/2" x 1/2"
- 27NR7525 2 1/2" x 3/4"
- 27NR7532 2 1/2" x 1"
- 27NR7540 2 1/2" x 1 1/4"
- 27NR7550 2 1/2" x 1 1/2"
- 27NR7563 2 1/2" x 2"
- 27NR9063 3" x 2"
- 27NR9075 3" x 2 1/2"
- 27NR11063 3 1/2" x 2"
- 27NR11075 3 1/2" x 2 1/2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NR11090 3 1/2" x 3"  
27NR12590 4" x 3"  
27NR125110 4" x 3 1/2"  
27NR160110 6" x 3 1/2"  
27NR160125 6" x 4"

[11] Male Concentric Reducer - Long Spigot

27NR754011MM 2 1/2" x 1 1/4"  
27NR755011MM 2 1/2" x 1 1/2"  
27NR756311MM 2 1/2" x 2"  
27NR905011MM 3" x 1 1/2"  
27NR906311MM 3" x 2"  
27NR907511MM 3" x 2 1/2"  
27NR1106311MM 3 1/2" x 2"  
27NR1107511MM 3 1/2" x 2 1/2"  
27NR1109011MM 3 1/2" x 3"  
27NR12511011MM 4" x 3 1/2"  
27NR1257511MM 4" x 2 1/2"  
27NR1259011MM 4" x 3"  
27NR16011011MM 6" x 3 1/2"  
27NR16012511MM 6" x 4"  
27NR20016011MM 8" x 6"

Socket Fusion Coupling

27NMAN20 1/2"  
27NMAN25 3/4"  
27NMAN32 1"  
27NMAN40 1 1/4"  
27NMAN50 1 1/2"  
27NMAN63 2"  
27NMAN75 2 1/2"  
27NMAN90 3"  
27NMAN110 3 1/2"  
27NMAN125 4"

Socket Fusion End Cap

27NCC20 1/2"  
27NCC25 3/4"  
27NCC32 1"  
27NCC40 1 1/4"  
27NCC50 1 1/2"  
27NCC63 2"  
27NCC75 2 1/2"  
27NCC90 3"  
27NCC110 3 1/2"  
27NCC125 4"

End Cap - Long Spigot (SDR 7.3)

27NCC16074M 6"  
27NCC20074M 8"

End Cap - Short Spigot (SDR 7.3)

27NCC25074MS 10"  
27NCC31574MS 12"  
27NCC35574MS 14"  
27NCC40074MS 16"  
27NCC45074MS 18"

End Cap - Long Spigot (SDR 11)

27NCC16011M 6"  
27NCC20011M 8"

End Cap - Short Spigot (SDR 11)

27NCC25011MS 10"  
27NCC31511MS 12"  
27NCC35511MS 14"  
27NCC40011MS 16"  
27NCC45011MS 18"

End Cap - Long Spigot (SDR 17)

27NCC16017M 6"  
27NCC20017M 8"

End Cap - Short Spigot (SDR 17)

27NCC25017MS 10"  
27NCC31517MS 12"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NCC35511MS 14"  
27NCC40011MS 16"  
27NCC45011MS 18"  
Stub Flange - Long Spigot  
27NCRT3211 1"  
27NCRT4011 1 1/4"  
27NCRT5011 1 1/2"  
27NCRT6311 2"  
27NCRT7511 2 1/2"  
27NCRT9011 3"  
27NCRT11011 3 1/2"  
27NCRT12511 4"  
27NCRT16011 6"  
27NCRT20011 8"  
27NCRT25011 10"  
Stub Flange - Short Spigot  
27NCRT31511S 12"  
27NCRT35511S 14"  
27NCRT40011S 16"  
27NCRT45011S 18"  
27NCRT50011S 20"  
Electrofusion Coupling  
27NME20 1/2"  
27NME25 3/4"  
27NME32 1"  
27NME40 1 1/4"  
27NME50 1 1/2"  
27NME63 2"  
27NME75 2 1/2"  
27NME90 3"  
27NME110 3 1/2"  
27NME125 4"  
27NME160 6"  
27NME200 8"  
27NME250 10"  
27NME315 12"  
Electrofusion Reducer  
27NRDE3225 1/2" x 3/4"  
27NRDE4032 1 1/4" x 1"  
27NRDE5032 1 1/2" x 1"  
27NRDE5040 1 1/2" x 1 1/4"  
27NRDE6332 2" x 1"  
27NRDE6340 2" x 1 1/4"  
27NRDE6350 2" x 1 1/2"  
27NRDE7563 2 1/2" x 2"  
27NRDE9063 3" x 2"  
27NRDE1163 3 1/2" x 2"  
27NRDE1190 3 1/2" x 3"  
Electrofusion 90° Elbow  
27NGEM20 1/2"  
27NGEM25 3/4"  
27NGEM32 1"  
27NGEM40 1 1/4"  
27NGEM50 1 1/2"  
27NGEM63 2"  
27NGEM75 2 1/2"  
27NGEM90 3"  
27NGEM110 3 1/2"  
Electrofusion 45° Elbow  
27NCEM32 1"  
27NCEM40 1 1/4"  
27NCEM50 1 1/2 ``  
27NCEM63 2"  
27NCEM75 2 1/2"  
27NCEM90 3"  
27NCEM110 3 1/2"  
Electrofusion Tee

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NTCE20 1/2"  
27NTCE25 3/4"  
27NTCE32 1"  
27NTCE40 1 1/4"  
27NTCE50 1 1/2"  
27NTCE63 2"  
27NTCE75 2 1/2"  
27NTE90 3"  
27NTCE110 3 1/2"  
27NTCE160 6"

[12] Item # Description

All-Plastic Unions with Socket Fusion Ends

27NBRF20 1/2" x 1/2"  
27NBRF25 3/4" x 3/4"  
27NBRF32 1" x 1"  
27NBRF40 1 1/4" x 1 1/4"  
22.5° 3" Long Elbow  
27NC2251190MML PP-RCT SDR 11  
45° Elbow - Long Spigot  
27NC457363MM 2" SDR 7.3  
27NC4573125MM 5" SDR 7.3  
27NC451175MM 2 1/2" SDR 11  
27NC4511125MM 5" SDR 11  
27NC4511160MM 6" SDR 11  
27NC4511200MM 8" SDR 11  
27NC4511250MM 10" SDR 11  
27NC4511315MMA 12" SDR 11  
27NC451763MM 2" SDR 17  
27NC451775MM 2 1/2" SDR 17  
27NC4517110MM 4" SDR 17  
27NC451790MM 3" SDR 17  
27NC4517125MM 5" SDR 17  
27NC4517160MM 6" SDR 17  
27NC4517200MM 8" SDR 17  
27NC4517250MM 10" SDR 17  
27NC4517315MMA 12" SDR 17  
45° Elbow-Long Spigot (2 Segmented Fitt)  
27NC4573315MM2 12" SDR 7.3  
27NC4511355MM2 14" SDR 11  
45° Elbow - Long Spigot (Segmented Fitt)  
27NC4511250MM2 10" SDR 11  
27NC4511315MM2 12" SDR 11  
27NC4511315MMB 12" SDR 11  
27NC4511355MMB 14" SDR 11  
27NC4511400MMB 16" SDR 11  
27NC4517315MMB 12" SDR 17  
27NC4517355MMB 14" SDR 17  
27NC4517400MMB 16" SDR 17  
27NC4517500MMB 20" SDR 17  
27NC4517560MMB 22" SDR 17  
27NC4517630MMB 24" SDR 17  
27NC4573160MMB 6" SDR 7.3  
27NC4573200MMB 8" SDR 7.3  
27NC4573250MMB 10" SDR 7.3  
27NC4573315MMB 12" SDR 7.3  
45° Elbow-Long Spigot (Injected Alongated)  
27NC4517355MMC 14" SDR 17  
27NC4517400MMC 16" SDR 17  
Street 45° Elbow - Socket Fusion  
27NC45MF20 1/2"  
27NC45MF25 3/4"  
27NC45MF32 1"  
End Cap - Long Spigot  
27NCC6373M 2" SDR 7.3  
27NCC12573M 5" SDR 7.3

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NCC6311M 2" SDR 11  
27NCC7511M 2 1/2" SDR 11  
27NCC9011M 3" SDR 11  
27NCC11011M 4" SDR 11  
27NCC12511M 5" SDR 11  
27NCC6317M 2" SDR 17  
27NCC7517M 2 1/2" SDR 17  
27NCC9017M 3" SDR 17  
27NCC11017M 4" SDR 17  
27NCC12517M 5" SDR 17  
27NCC25011M 10" SDR 17  
End Cap - Short Spigot  
27NCC16073MS 6" SDR 7.3  
27NCC20073MS 8" SDR 7.3  
27NCC25073MS 10" SDR 7.3  
27NCC31573MS 12" SDR 7.3  
27NCC50011MS 20" SDR 11  
27NCC25017MS 10" SDR 17  
27NCC31517MS 12" SDR 17  
27NCC35517MS 14" SDR 17  
27NCC40017MS 16" SDR 17  
27NCC45017MS 18" SDR 17  
27NCC50017MS 20" SDR 17  
27NCC56017MS 22" SDR 17  
27NCC63017MS 24" SDR 17  
Electrofusion 45° Elbow  
27NCEMUV50 1 1/2"  
27NCEMUV63 2"  
27NCEMUV75 2 1/2"  
27NCEMUV90 3"  
27NCEMUV110 4"  
27NCEMUV160 6"  
27NCEM160 6"  
27NCEM200 8"  
27NCEMUV200 8"  
Stub Flange - Socket Fusion  
27NCOSA32 1"  
27NCOSA40 1 1/4"  
27NCOSA50 1 1/2"  
27NCOSA63 2"  
27NCOSA75 2 1/2"  
27NCOSA90 3"  
27NCOSA110 4"  
27NCOSA125 5"  
Stub Flange - Long Spigot 55° Beveled  
27NCRT6373 2" SDR 7.3  
27NCRT9073 3" SDR 7.3  
27NCRT16073 6" SDR 7.3  
27NCRT20073 8" SDR 7.3  
27NCRT25073 10" SDR 7.3  
27NCRT3211 1" SDR 11  
27NCRTUV5011 1 1/2" SDR 11  
27NCRT6317 2" SDR 17  
27NCRT7511 2 1/2" SDR 11  
27NCRT9011 3" SDR 11  
27NCRT11011 4" SDR 11  
27NCRT12511 5" SDR 11  
27NCRT12517 5" SDR 17  
27NCRT16011 6" SDR 11  
27NCRT20011 8" SDR 11  
27NCRT25011 10" SDR 11  
27NCRT31511 12" SDR 11  
27NCRT3217 1" SDR 17  
27NCRT4017 1 1/4" SDR 17  
27NCRT5017 1 1/2" SDR 17  
27NCRT7517 2 1/2" SDR 17  
27NCRT9017 3" SDR 17

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NCRT11017 4" SDR 17  
27NCRT16017 6" SDR 17  
27NCRT20017 8" SDR 17  
27NCRT25017 10" SDR 17  
27NCRT31517 12" SDR 17  
Stub Flange - Short Spigot 55° Beveled  
27NCRT11073S 4" SDR 7.3  
27NCRT12573S 5" SDR 7.3  
27NCRT31573S 12" SDR 7.3  
Stub Flange - Short Spigot Beveled  
27NCRT12511A5 125-5" SDR 11  
27NCRT12517A5 125-5" SDR 17

Stub Flange - Short Spigot  
27NCRT35511S 14" SDR 11  
27NCRT35517S 14" SDR 17  
27NCRT40011S 16" SDR 11  
27NCRT40017S 16" SDR 17  
27NCRT45011S 18" SDR 11  
27NCRT45017S 18" SDR 17  
27NCRT50011S 20" SDR 11  
27NCRT50017S 20" SDR 17  
27NCRT56017S 22" SDR 17  
27NCRT63017S 24" SDR 17

Stub Flange Spacer  
27NCRTSPACER160 6"  
27NCRTSPACER200 8"  
27NCRTSPACER250 10"  
27NCRTSPACER315 12"  
27NCRTSPACER355 14"  
27NCRTSPACER400 16"

Union with Brass Nuts and Socket Ends  
27NCSJ2020 1/2" - 1/2"  
27NCSJ2525 3/4" - 3/4"  
27NCSJ3232 1" - 1"  
27NCSJ4040 1 1/4" - 1 1/4"  
27NCSJ5050 1 1/2" - 1 1/2"  
27NCSJ6363 2" - 2"  
90° Elbow - Socket Fusion  
27NG110 4"

[13] 90° Elbow - Long Spigot  
27NG9011110MM 4" SDR 11  
27NG90111125MM 5" SDR 11  
27NG90111160MM 6" SDR 11  
27NG9011200MM 8" SDR 11  
27NG9011250MM 10" SDR 11  
27NG9011315MMA 12" SDR 11  
27NG901163MM 2" SDR 11  
27NG901175MM 2 1/2" SDR 11  
27NG901190MM 3" SDR 11  
27NG9017110MM 4" SDR 17  
27NG9017125MM 5" SDR 17  
27NG9017160MM 6" SDR 17  
27NG9017315MMA 12" SDR 17  
27NG901763MM 2" SDR 17  
27NG901775MM 2 1/2" SDR 17  
27NG901790MM 3" SDR 17  
27NG9073125MM 5" SDR 7.3  
27NG907363MM 2" SDR 7.3  
27NG907390MM 3" SDR 7.3  
27NG9011250MM3 10" SDR 11  
27NG9011315MM3 12" SDR 11  
27NG9011355MM3 14" SDR 11  
27NG9011400MM3 16" SDR 11  
27NG9073250MM3 10" SDR 7.3  
27NG9073315MM3 12" SDR 7.3  
90° Elbow-Long Spigot (Segmented Fitt)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.





27NG9011315MMB 12" SDR 11  
27NG9011355MMB 14" SDR 11  
27NG9011400MMB 16" SDR 11  
27NG9011500MMB 20" SDR 11  
27NG9017315MMB 12" SDR 17  
27NG9017355MMB 14" SDR 17  
27NG9017400MMB 16" SDR 17  
27NG9017500MMB 20" SDR 17  
27NG9017560MMB 22" SDR 17  
27NG9017630MMB 24" SDR 17  
27NG9073125MMB 5" SDR 7.3  
27NG9073160MMB 6" SDR 7.3  
27NG9073200MMB 8" SDR 7.3  
27NG9073250MMB 10" SDR 7.3  
27NG9073315MMB 12" SDR 7.3  
90°Elbow-Long Spigot(Injected Alongated)  
27NG9017355MMC 14" SDR 17  
27NG9017400MMC 16" SDR 17  
Coupling - Socket Fusion  
27NMAN110 4"  
27NMAN125 5"  
27NMAN20 1/2"  
27NMAN25 3/4"  
27NMAN32 1"  
27NMAN40 1 1/4"  
27NMAN50 1 1/2"  
27NMAN63 2"  
27NMAN75 2 1/2"  
27NMAN90 3"  
Electrofusion 90° Elbow  
27NGEM160 6"  
27NGEM200 8"  
27NGEMUV110 4"  
27NGEMUV160 6"  
27NGEMUV200 8"  
27NGEMUV50 1 1/2"  
27NGEMUV63 2"  
27NGEMUV75 2 1/2"  
27NGEMUV90 3"  
27NMEUV50 1 1/2"  
27NMEUV63 2"  
27NMEUV75 2 1/2"  
27NMEUV90 3"  
Electrofusion Coupling  
27NME110 4"  
27NME125 5"  
27NME160 6"  
27NME16017 6" SDR 17  
27NME20 1/2"  
27NME20017 8" SDR 17  
27NME20073 8" SDR 7.3  
27NME25 3/4"  
27NME25017 10" SDR 17  
27NME31517 12" SDR 17  
27NME31573 12" SDR 7.3  
27NME32 1"  
27NME355 14"  
27NME35517 14" SDR 17  
27NME40 1 1/4"  
27NME400 16"  
27NME40017 16" SDR 17  
27NME45017 18" SDR 17  
27NME50 1 1/2"  
27NME50017 20"s  
27NME56017 22"s  
27NME63 2"  
27NME63017 24"s

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NME75 2 1/2"  
 27NME90 3"  
 27NMEUV110 4"  
 27NMEUV125 5"  
 27NMEUV160 6"  
 27NMEUV200 8"  
 27NMEUV250 10"  
 27NPH250 Niron Pull Head for 10" SDR 11 pipe  
 27NPH250S Niron Pull Head for 10" SDR 11 pipe Short  
 Male Concentric Reducer-Long Spigot  
 27NR634011MM 2" x 1 1/4" SDR 11  
 27NR634017MM 2" x 1 1/4" SDR 17  
 27NR634073MM 2" x 1 1/4" SDR 7.3  
 27NR635011MM 2" x 1 1/2" SDR 11  
 27NR635017MM 2" x 1 1/2" SDR 17  
 27NR635073MM 2" x 1 1/2" SDR 7.3  
 27NR754011MM 2 1/2" x 1 1/4" SDR 11  
 27NR754017MM 2 1/2" x 1 1/4" SDR 17  
 27NR755017MM 2 1/2" x 1 1/2" SDR 17  
 27NR756317MM 2 1/2" x 2" SDR 17  
 27NR905017MM 3" x 1 1/2" SDR 17  
 27NR906317MM 3" x 2" SDR 17  
 27NR907517MM 3" x 2 1/2" SDR 17  
 27NR1106317MM 4" x 2" SDR 17  
 27NR1107511MM 4" x 2 1/2" SDR 11  
 27NR1109011MM 4" x 3" SDR 11  
 27NR1109017MM 4" x 3" SDR 17  
 27NR1109073MM 4" x 3" SDR 7.3  
 27NR12511011MM 5" x 4" SDR 11  
 27NR12511017MM 5" x 4" SDR 17  
 27NR1256373MM 5" x 2" SDR 7.3  
 27NR1257511MM 5" x 2 1/2" SDR 11  
 27NR1257517MM 5" x 2 1/2" SDR 17  
 27NR1259011MM 5" x 3" SDR 11  
 27NR1259017MM 5" x 3" SDR 17  
 27NR16011011MM 6" x 4" SDR 11  
 27NR16011017MM 6" x 4" SDR 17  
 27NR16012511MM 6" x 5" SDR 11  
 27NR16012517MM 6" x 5" SDR 17  
 27NR1609011MM 6" x 3" SDR 11  
 27NR1609017MM 6" x 3" SDR 17  
 27NR20016011MM 8" x 6" SDR 11  
 27NR20016017MM 8" x 6" SDR 17  
 27NR20016073MM 8" x 6" SDR 7.3  
 27NR25020011MM 10" x 8" SDR 11  
 27NR25020017MM 10" x 8" SDR 17

[14] Male Concentric Reducer Short Spig

27NRCC16011073MM 6" x 4" SDR 7.3  
 27NRCC25016011MM 10"x 6" SDR 11  
 27NRCC25016017MM 10" x 6" SDR 17  
 27NRCC25020011MM 10" x 8" SDR 11  
 27NRCC25020017MM 10" x 8" SDR 17  
 27NRCC31511017MM 12" x 4" SDR 17  
 27NRCC31511073MM 12" x 4" SDR 7.3  
 27NRCC31516011MM 12" x 6" SDR 11  
 27NRCC31516017MM 12" x 6" SDR 17  
 27NRCC31520011MM 12" x 8" SDR 11  
 27NRCC31520017MM 12" x 8" SDR 17  
 27NRCC31520073MM 12"x 8" SDR 7.3  
 27NRCC31525011MM 12" x 10" SDR 11  
 27NRCC31525017MM 12" x 10" SDR 17  
 27NRCC31525073MM 12" x 10" SDR 7.3  
 27NRCC35520011MM 14" x 8" SDR 11  
 27NRCC35520017MM 14" x 8" SDR 17  
 27NRCC35525011MM 14" x 10" SDR 11  
 27NRCC35525017MM 14" x 10" SDR 17  
 27NRCC35531511MM 14" x 12" SDR 11

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NRCC35531517MM 14" x 12" SDR 17  
27NRCC40025011MM 16" x 10" SDR 11  
27NRCC40025017MM 16" x 10" SDR 17  
27NRCC40031511MM 16" x 12" SDR 11  
27NRCC40031517MM 16" x 12" SDR 17  
27NRCC40035511MM 16" x 14" SDR 11  
27NRCC40035517MM 16" x 14" SDR 17  
27NRCC45031511MM 18" x 12" SDR 11  
27NRCC45031517MM 18" x 12" SDR 17  
27NRCC45035511MM 18" x 14" SDR 11  
27NRCC45035517MM 18" x 14" SDR 17  
27NRCC45040011MM 18" x 16" SDR 11  
27NRCC45040017MM 18" x 16" SDR 17  
27NRCC50031517MM 20" x 12" SDR 11  
27NRCC50035511MM 20" x 14" SDR 11  
27NRCC50035517MM 20" x 14" SDR 17  
27NRCC50040011MM 20" x 16" SDR 11  
27NRCC50040017MM 20" x 16" SDR 17  
27NRCC50045011MM 20" x 18" SDR 11  
27NRCC50045017MM 20" x 18" SDR 17  
27NRCC56040017MM 22" x 16" SDR 17  
27NRCC56045017MM 22" x 18" SDR 17  
27NRCC56050017MM 22" x 20" SDR 17  
27NRCC63040017MM 24" x 16" SDR 17  
27NRCC63045017MM 24" x 18" SDR 17  
27NRCC63050017MM 24" x 20" SDR 17  
27NRCC63056017MM 24" x 22" SDR 17  
Male Concentric Reducer-Plain End  
27NRCC20012573MM 8" x 5" SDR 7.3  
27NRCC20016073MM 8" x 6" SDR 7.3  
27NRCC25016073MM 10" x 6" SDR 7.3  
27NRCC25020073MM 10"x 8" SDR 7.3  
Male Concentric Red-Long Spigot  
27NR1107517MM 4" x 2 1/2" SDR 17  
Reducing - Socket Fusion  
27NR11090 4" x 3"  
27NR125110 5" x 4"  
27NR12575 5" x 2 1/2"  
27NR12590 5" x 3"  
27NR160110 6" x 4"  
27NR160125 6" x 5"  
27NR9050 3" x 1 1/2"  
27NR9063 3" x 2"  
RED. D.200 MALE SH. D.125 SOCKET FUS.  
27NR20011MS125SF PP-RCT SDR 11  
RED. D.200 MALE D.125 SOCKET FUS.  
27NR20073MS125SF PP-RCT SDR 7.3  
Eccentric Reducer Short  
27NRCC25016011MM 10" X 6" SDR 11  
27NRCC35525011MM 14" X 10" SDR 11  
Electrofusion Reducer  
27NRDE1211 5"- 4"  
27NRDE1263 5" - 2"  
27NRDE1290 5"- 3"  
27NRDE1611 6"- 4"  
27NRDE1612 6"- 5"  
27NRDE1690 6"- 3"  
27NRDE2016 8"- 6"  
Eccentric Reducer Short - Socket Fusion  
27NRES9063 3" x 2"  
Tee - Long Spigot (Segmented Fitting)  
27NT73160MMB 6" SDR 7.3  
27NT73200MMB 8" SDR 7.3  
27NT73250MMB 10" SDR 7.3  
27NT73315MMB 12" SDR 7.3  
27NT11250MMB 10" SDR 11  
27NT11315MMB 12" SDR 11

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NT11355MMB 14" SDR 11  
 27NT11400MMB 16" SDR 11  
 27NT17315MMB 12" SDR 17  
 27NT17355MMB 14" SDR 17  
 27NT17400MMB 16" SDR 17  
 27NT17500MMB 20" SDR 17  
 27NT17630MMB 24" SDR 17  
 Tee - Long Spigot  
 27NT7363MM 2" SDR 7.3  
 27NT7390MM 3" SDR 7.3  
 27NT1175MM 2 1/2" SDR 11  
 27NT1775MM 2 1/2" SDR 17  
 27NT73110MM 4" SDR 7.3  
 27NT17110MM 4" SDR 17  
 27NT17125MM 5" SDR 17  
 27NT73160MM 6" SDR 7.3  
 27NT17160MM 6" SDR 17  
 27NT17200MM 8" SDR 17  
 27NT17250MM 10" SDR 17  
 27NT17315MMA 12" SDR 17  
 27NT11315MMA 12" SDR 11  
 Single Wire Electr Equal Tee w/Spigot End  
 27NTCE020 1/2"  
 27NTCE025 3/4"  
 27NTCE032 1"  
 27NTCE040 1 1/4"  
 27NTCE050 1 1/2"  
 27NTCE063 2"  
 27NTCE075 2 1/2"  
 27NTCE110 4"  
 27NTCE160 6"  
 Double Wire Electrofusion Equal Tee  
 27NTE90 3"  
 Fem Side Fus RedTee-LongSpigot 3"  
 27NTR119040F90 3" x 3" x 1 1/4" SDR 11  
 27NTR119050F90 3" x 3" x 1 1/2" SDR 11  
 27NTR119063F90 3" x 3" x 2" SDR 11  
 FemSideFus RedTee-Long Spigot6"  
 27NTR1116075F160 6"x 6" x 2 1/2" SDR 11  
 27NTR1116090F160 6"x 6" x 3" SDR 11  
 [15] Male Side Fus Red Tee-Long Spigot  
 27NTR1116075M160 6"x 6" x 2 1/2" SDR 11  
 27NTR17160125M160 6" x6" x5" SDR 17  
 27NTR1716075M160 6" x 6" x 3" SDR 17  
 27NTR1716090M160 6" x 6" x 3" SDR 17  
 27NTR1120090M200 8"x 8" x 3" SDR 11  
 27NTR17200110M200 8" x 8" x4" SDR 17  
 27NTR17200125M200 8"x 8" x 5" SDR 17  
 27NTR17200160M200 8" x 8" x6" SDR 17  
 27NTR1720075M200 8"x 8" x 2 1/2" SDR 17  
 27NTR1720090M200 8" x 8" x 3" SDR 17  
 27NTR11250200M250 10" x 10"x 8" SDR 11  
 27NTR1125090M250 10" x 10" x 3" SDR 11  
 27NTR17250110M250 10" x 10" x 4" SDR 17  
 27NTR17250125M250 10" x 10" x 5" SDR 17  
 27NTR17250160M250 10" x 10" x 6" SDR 17  
 27NTR11315200M315 12" x 12"x 8" SDR 11  
 27NTR11315250M315 12" x 12" x 10" SDR 11  
 27NTR1131590M315 12" x 12" x 3" SDR 11  
 27NTR17315110M315 12" x 12" x 4" SDR 17  
 27NTR1731590M315 12" x 12" x 3" SDR 17  
 27NTR11355160M355 14" x 14" x 6" SDR 11  
 27NTR11355250M355 14" x 14" x 10" SDR 11  
 27NTR11355315M355 14" x 14" x 12" SDR 11  
 27NTR17355110M355 14" x 14" x 4" SDR 17  
 27NTR17355125M355 14" x 14" x 5" SDR 17  
 27NTR17355200M355 14" x 14" x 8" SDR 17

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NTR17355250M355 14" x 14" x 10" SDR 17  
27NTR17355315M355 14" x 14" x 12" SDR 17  
27NTR1735575M355 14" x 14" x 2 1/2" SDR 17  
27NTR1735590M355 14" x 14" x 3" SDR 17  
27NTR11400200M400 16" x 16" x 8" SDR 11  
27NTR11400250M400 16" x 16" x 10" SDR 11  
27NTR17500315M500 20" x 20" x 12" SDR 17  
27NTR17500355M500 20" x 20" x 14" SDR 17  
27NTR17630125M630 24" x 24" x 5" SDR 17  
27NTR17630160M630 24" x 24" x 6" SDR 17  
27NTR17630355M630 24" x 24" x 14" SDR 17  
27NTR17630400M630 24" x 24" x 16" SDR 17  
Reduced Tee - Socket Fusion  
27NTR12563125 5" x 5" x 2"  
27NTR252020 3/4" x 1/2" x 1/2"  
27NTR252025 3/4" x 3/4" x 1/2"  
27NTR252520 3/4" x 1/2" x 3/4"  
27NTR253225 3/4" x 3/4" x 1"  
27NTR322020 1" x 1/2" x 1/2"  
27NTR322025 1" x 3/4" x 1/2"  
27NTR322032 1" x 1" x 1/2"  
27NTR322525 1" x 3/4" x 3/4"  
27NTR322532 1" x 1" x 3/4"  
27NTR323225 1" x 3/4" x 1"  
27NTR403232 1 1/4" x 1" x 1"  
27NTR635040 2" x 1 1/2" x 1 1/4"  
Male Side Fusion Red Tee  
27NTR73315200M315 12" x 12" x 10" SDR 7.3  
27NTR73315250M315 12" x 12" x 10" SDR 7.3  
27NTR73355250M355 14" x 14" x 10" SDR 7.3  
90° Reducing Tee - Long Spigot  
27NTRS11111040MM 4" x 4" x 1 1/4" SDR 11  
27NTRS11111050MM 4" x 4" x 1 1/2" SDR 11  
27NTRS11111063MM 4" x 4" x 2" SDR 11  
27NTRS11111075MM 4" x 4" x 2 1/2" SDR 11  
27NTRS11111090MM 4" x 4" x 3" SDR 11  
27NTRS111125110MM 5" x 5" x 4" SDR 11  
27NTRS11112550MM 5" x 5" x 1 1/2" SDR 11  
27NTRS11112563MM 5" x 5" x 2" SDR 11  
27NTRS11112575MM 5" x 5" x 2 1/2" SDR 11  
27NTRS11112590MM 4" x 5" x 3" SDR 11  
27NTRS11160110MM 6" x 6" x 4" SDR 11  
27NTRS11160125MM 6" x 6" x 5" SDR 11  
27NTRS1116063MM 6" x 6" x 2" SDR 11  
27NTRS1116075MM 6" x 6" x 2 1/2" SDR 11  
27NTRS1116090MM 6" x 6" x 3" SDR 11  
27NTRS11200110MM 8" x 8" x 4" SDR 11  
27NTRS11200125MM 8" x 8" x 5" SDR 11  
27NTRS11200160MM 8" x 8" x 6" SDR 11  
27NTRS1120063MM 8" x 8" x 2" SDR 11  
27NTRS1120075MM 8" x 8" x 2 1/2" SDR 11  
27NTRS1120090MM 8" x 8" x 3" SDR 11  
27NTRS11250110MM 10" x 10" x 4" SDR 11  
27NTRS11250125MM 10" x 10" x 5" SDR 11  
27NTRS11250160MM 10" x 10" x 6" SDR 11  
27NTRS11250200MM 10" x 10" x 8" SDR 11  
27NTRS1125090MM 10" x 10" x 3" SDR 11  
27NTRS116332MM 2" x 2" x 1" SDR 11  
27NTRS116350MM 2" x 2" x 1/2" SDR 11  
27NTRS119040MM 3" x 3" x 1 1/4" SDR 11  
27NTRS119050MM 3" x 3" x 1 1/2" SDR 11  
27NTRS119063MM 3" x 3" x 2" SDR 11  
27NTRS119075MM 3" x 3" x 2 1/2" SDR 11  
27NTRS1711050MM 4" x 4" x 1 1/2" SDR 17  
27NTRS1711063MM 4" x 4" x 2" SDR 17  
27NTRS1711075MM 4" x 4" x 2 1/2" SDR 17  
27NTRS1711090MM 4" x 4" x 3" SDR 17

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NTRS17125110MM 5" x 5" x 4" SDR 17  
27NTRS1712550MM 5" x 5" x 1 1/2" SDR 17  
27NTRS1712563MM 5" x 5" x 2" SDR 17  
27NTRS1712575MM 5" x 5" x 2 1/2" SDR 17  
27NTRS1712590MM 5" x 5" x 3" SDR 17  
27NTRS17160110MM 6" x 6" x 4" SDR 17  
27NTRS17160125MM 6" x 6" x 5" SDR 17  
27NTRS1716063MM 6" x 6" x 2" SDR 17  
27NTRS1716075MM 6" x 6" x 2 1/2" SDR 17  
27NTRS1716090MM 6" x 6" x 3" SDR 17  
27NTRS17200110MM 8" x 8" x 4" SDR 17  
27NTRS17200125MM 8" x 8" x 5" SDR 17  
27NTRS17200160MM 8" x 8" x 6" SDR 17

[16] 90° Reducing Tee - Long Spigot  
27NTRS1720090MM 8" x 8" x 3" SDR 17  
27NTRS17250110MM 10" x 10" x 4" SDR 17  
27NTRS17250125MM 10" x 10" x 5" SDR 17  
27NTRS17250160MM 10" x 10" x 6" SDR 17  
27NTRS17250200MM 10" x 10" x 8" SDR 17  
27NTRS1725090MM 10" x 10" x 3" SDR 17  
27NTRS179032MM 3" x 3" x 1" SDR 17  
27NTRS179040MM 3" x 3" x 1 1/4" SDR 17  
27NTRS179050MM 3" x 3" x 1 1/2" SDR 17  
27NTRS179063MM 3" x 3" x 2" SDR 17  
27NTRS179075MM 3" x 3" x 2 1/2" SDR 17  
27NTRS7312563MM 5" x 5" x 2" SDR 7.3  
Wye lateral 45° - SDR 17 Segmented  
27NWYE17110 4"  
27NWYE17160 6"  
27NWYE17200 8"  
27NWYE17315 12"

[17] Configurations include:  
Socket Female Threaded 90° Elbow w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NGF2012NPT)  
3/4" x 1/2"NPT (27NGF2512NPT)  
3/4" x 3/4"NPT (27NGF2534NPT)  
1" x 1/2"NPT (27NGF3212NPT)  
1" x 3/4"NPT (27NGF3234NPT)  
1" x 1"NPT (27NGF321NPT)  
1 1/4" x 1"NPT (27NGF401NPT)  
1 1/2" x 1 1/4"NPT (27NGF50114NPT)  
1 1/2" x 1 1/2"NPT (27NGF50112NPT)  
2" x 1"NPT (27NGF63112NPT)  
2" x 2"NPT (27NGF632NPT)  
Socket Male Threaded 90° Elbow w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NGM2012NPT)  
3/4" x 1/2"NPT (27NGM2512NPT)  
3/4" x 3/4"NPT (27NGM2534NPT)  
1" x 1/2"NPT (27NGM3212NPT)  
1" x 3/4"NPT (27NGM3234NPT)  
1" x 1"NPT (27NGM321NPT)  
Socket Female Threaded Back Plate 90° w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NTER2012NPT)  
Female Threaded Winged 90° w/NPT Lead Free Brass  
1/2" x 3/8"NPT (27NGTF2038NPT)  
1/2" x 1/2"NPT (27NGTF2012NPT)  
Socket Fusion Male Threaded Winged 90° w/NPT Lead Free Brass  
1/2" x 3/8"NPT (27NGTM2038NPT)  
1/2" x 1/2"NPT (27NGTM2012NPT)  
Female Threaded 90° Elbow for Template with NPT Lead Free Brass  
1/2" x 3/8"NPT (27NGOF2012NPT)  
3/4" x 1/2"NPT (27NGOF2512NPT)  
Male Threaded 90° Elbow for Template with NPT Lead Free Brass  
1/2" x 1/2"NPT (27NGOM2012NPT)  
Female Threaded Street 90° Elbows w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NGMFF2012NPT)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Female Threaded Tee w/NPT Lead Free Brass

- 1/2" x 1/2"NPT (27NTF2012NPT)
- 3/4" x 1/2"NPT (27NTF2512NPT)
- 3/4" x 3/4"NPT (27NTF2534NPT)
- 1" x 1/2"NPT (27NTF3212NPT)
- 1" x 3/4"NPT (27NTF3234NPT)
- 1" x 1"NPT (27NTF321NPT)

Male Threaded Tee w/NPT Lead Free Brass

- 1/2" x 1/2"NPT (27NTM2012NPT)
- 3/4" x 1/2"NPT (27NTM2512NPT)
- 3/4" x 3/4"NPT (27NTM2534NPT)
- 1" x 1/2"NPT (27NTM3212NPT)
- 1" x 3/4"NPT (27NTM3234NPT)
- 1" x 1"NPT (27NTM321NPT)

Female Threaded Adapter w/NPT Lead Free Brass

- 1/2" x 1/2"NPT (27NRFF2012NPT)
- 1/2" x 3/4"NPT (27NRFF2034NPT)
- 3/4" x 1/2"NPT (27NRFF2512NPT)
- 3/4" x 3/4"NPT (27NRFF2534NPT)
- 1" x 3/4"NPT (27NRFF3234NPT)
- 1" x 1"NPT (27NRFF321NPT)
- 1 1/4" x 1"NPT (27NRFF401NPT)
- 1 1/4" x 1 1/4"NPT (27NRFF40114NPT)
- 1 1/2" x 1 1/4"NPT (27NRFF50114NPT)
- 1 1/2" x 1 1/2"NPT (27NRFF50112NPT)
- 2" x 1 1/2"NPT (27NRFF63112NPT)
- 2" x 2"NPT (27NRFF632NPT)
- 2 1/2" x 2"NPT (27NRFF752NPT)
- 2 1/2" x 2 1/2"NPT (27NRFF75212NPT)
- 3" x 3"NPT (27NRFF903NPT)
- 3 1/2" x 4"NPT (27NRFF1104NPT)
- 4" x 4"NPT (27NRFF1254NPT)

Male Threaded Adapter w/NPT Lead Free Brass

- 1/2" x 1/2"NPT (27NRFM2012NPT)
- 1/2" x 3/4"NPT (27NRFM2034NPT)
- 3/4" x 1/2"NPT (27NRFM2512NPT)
- 3/4" x 3/4"NPT (27NRFM2534NPT)
- 1" x 3/4"NPT (27NRFM3234NPT)
- 1" x 1"NPT (27NRFM321NPT)
- 1 1/4" x 1"NPT (27NRFM401NPT)
- 1 1/4" x 1 1/4"NPT (27NRFM40114NPT)
- 1 1/2" x 1 1/4"NPT (27NRFM50114NPT)
- 1 1/2" x 1 1/2"NPT (27NRFM50112NPT)
- 2" x 1 1/2"NPT (27NRFM63112NPT)
- 2" x 2"NPT (27NRFM632NPT)
- 2 1/2" x 2"NPT (27NRFM752NPT)
- 2 1/2" x 2 1/2"NPT (27NRFM75212NPT)
- 3" x 3"NPT (27NRFM903NPT)
- 3 1/2" x 4"NPT (27NRFM1104NPT)
- 4" x 4"NPT (27NRFM1254NPT)

[18] FemThr90° Elbows w/NPT & L.F.B.-Socket Fus

- 27NGF50114NPT 1 1/2" x 1 1/4"
- 27NGF63112NPT 2" x 1 1/2"
- 27NGF632NPT 2" x 2"

Male Thr90° Elbows w/NPT & L.F.B.-Socket Fus

- 27NGM2012NPT 1/2" x 1/2"
- 27NGM2512NPT 3/4" x 1/2"
- 27NGM2534NPT 3/4" x 3/4"
- 27NGM3212NPT 1" x 1/2"
- 27NGM321NPT 1" x 1"
- 27NGM3234NPT 1" x 3/4"

FemThr90°Elbow Templ w/NPT&L.F.B.-Socket Fus

- 27NGOF2012NPT 1/2" x 1/2"
- 27NGOF2512NPT 3/4" x 1/2"

MaleThr90°Elbow Templw/NPT&L.F.B.-Socket Fus

- 27NGOM2012NPT 1/2" x 1/2"

FemThr Winged 90° w/NPT & L.F.B.-Socket Fus

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NGTF2012NPT 1/2" x 1/2"  
 Template for External Bath Taps  
 27NGVF2012NPT 1/2" x 1/2"  
 27NGVF2512NPT 3/4" x 1/2"  
 Mounting Unit with Elbow - Socket Fusion  
 27NGVRF2012NPT 1/2" x 1/2"  
 PEX ADAPTER Fusion Welding Saddle  
 27NPGS124050 1/2" x 1 1/4" - 1 1/2"  
 27NPGS126375 1/2" x 2"/21/2"  
 27NPGS1290110125 1/2" x 3"/4"/5"  
 27NPGS16375 1" x 2"/21/2"  
 27NPGS190110125 1" x 3"/4"/5"  
 27NPGS344050 Saddle 3/4" x 1 1/4" - 1 1/2"  
 27NPGS346375 3/4" x 2"/21/2"  
 27NPGS3490110125 3/4" x 3"/4"/5"  
 Instaheader Pex Adapt(Crimp Ring F1807)  
 27NPGSCR346375 3/4" x 2"-21/2"  
 PEX ADAPTER (EXPANSION) wuth Socket Ends  
 27NPR0132 1" x 1"  
 27NPR1220 1/2" x 1/2"  
 27NPR1225 3/4" x 1/2"  
 27NPR3425 3/4" x 3/4"  
 COOPER Adapter with Socket Ends  
 27NCUA01C32L- 1" x 1" CTS  
 27NCUA12C20L- 1/2" x 1/2" CTS  
 27NCUA34C25L- 3/4" x 3/4" CTS  
 FemThr BackPlate 90°w/NPT &L.F.B.-Socket Fus  
 27NTER2012NPT 1/2" x 1/2"  
 Male Threaded Tee w/NPT & SS - Socket Fus  
 27NTM3212SSNPT 1" x 1/2"

Facility: Castel Guelfo di Bologna (BO), Italy

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
[G] Pipe			
NADIR/HDPE Pipe	1/2" - 36"	CLD 23 PE	
NADIR/HDPE Pipe	20 mm - 1000 mm	CLD 23 PE	
Niron Blue	20 mm - 160 mm	C. HOT PP	
Niron Clima	20 mm - 630 mm	C. HOT PP	
Niron FG	20 mm - 160 mm	C. HOT PP	
Niron Grey	20 mm - 160 mm	C. HOT PP	

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.